

**SMQ<sup>®</sup>**  
TM

**SEWMAQ<sup>®</sup>**  
TM

**technopres<sup>®</sup>**  
TM



# Index

## ATTACHMENTS

Chairs .....	19
Chainstitch cutters .....	15
Lamps .....	2
Motors for sewing machines .....	17-18
Pullers .....	5-9
Presser foot lifters .....	14
Scissors .....	1
Stands and tables .....	16
Tape feeding devices .....	9-14

## SEWING MACHINES

Automatic sewing machines .....	88-89
Bag closer .....	56
Bartacking .....	49
Buttonhole .....	50-51
Button sewer .....	48-49
Blindstitch .....	53-55
Compound feed flat bed .....	27-33
Compound feed long arm.....	31,35
Compound feed flat bed for binding .....	33
Compound feed with side cutter .....	33
Compound feed post bed .....	34,38
Compound feed Barrel shuttle .....	37
Compound feed cylinder bed .....	38
Chainstitch 2/3 needles .....	47-48
Decorative stitches .....	85
Domestic sewing machines .....	3-4
Double needle, needle feed .....	24-25
Hand stitch machines .....	86-87
Interlock machines .....	65-72
Lockstitch simple single needle .....	20
Lockstitch with thread trimmer .....	21, 24
Multineedle machines .....	73-82
Multineedle machines for jeans .....	83
Needle feed single need .....	22-23
Overlock machines .....	57-65
Pattern sewing .....	51-52
Side cutter single needle .....	23
Shoes post bed .....	39-41
Shoes special machines .....	42-43
Top and bottom feed .....	26-27
Thread cone winder machines .....	90
Zig zag machines .....	44-47

BAG CLOSER MACHINES.....	113
--------------------------	-----

CUTTING MACHINES.....	106-112
-----------------------	---------

EMBROIDERY MACHINES.....	90
--------------------------	----

FUSING MACHINES.....	103-104
----------------------	---------

IRONING MACHINES.....	91-99
-----------------------	-------

TRANSFER MACHINES.....	100-102
------------------------	---------

## SCISSORS

### Scissors stand

High quality scissors made with stainless steel with plastic handle. Available in different sizes:

(73103) 127 mm



(73102) 152 mm



(73101) 210 mm



(73100) 246 mm



### Scissors stand



230 H / 9

cod. 73024 A



cod. 73006 W 1571



Curved point 104 NCB

cod. 73004

Straight point 104N

cod. 73005



TC805

cod. 73053



### SW-2x(5i-LED)

(35015)

New led light composed by 2 sets of simple magnetic led lights (each set 5 leds, total 1w). One is positioned in front of the needle and the other one behind the needle. So we get a perfect illumination of the sewing area without shadows. Transformer to be installed under the sewing machine's table.

### SW-5i LED

(35013)

5 leds light. Low electricity consume (0.5watt) with magnetic holder. Can be adapted in any kind of sewing machine. 220 volt, transformer 24watt.

### SW-6U LED

(35014)

6 leds light. Low electricity consume (0.5watt) with magnetic holder. Can be adapted in any kind of sewing machine. 220 volt, transformer 24watt.

### SW-20 LED

(35001)

20 leds light. Low electricity consume (1.2watt) with magnetic holder. Can be adapted in any kind of sewing machine. 220 volt, transformer 24watt.

### SW-20LED SEP

(35002)

20 leds light. Low electricity consume (1.2watt) with magnetic holder. Can be adapted in any kind of sewing machine. 220 volt, transformer 24watt. Transformer separated of the magnet to be assembled under the sewing machine head.

### SW-27-K-LED

(35007)

Led universal lamp to be assembled behind the sewing machine head.

### SW-99-K-LED

(35018)

Led universal lamp with holder to be fixed on the edge of sewing machine head table. Two intensities of shining light.







## SW-920

(A7811)

Flat bed domestic sewing machine made with aluminium body to be assembled in sewing machine furniture. Metal shuttle, straight stitch, 4 kinds of zig zag, 9 kinds of ornamental stitches and buttonhole.



## SW-1250

(A7822)

Free and domestic use sewing machines with shuttle and central bobbin case. Straight stitch, 7 kinds of zig zag, 5 kinds of ornamental stitches and buttonholes.



## SW-635

(A7810C)

Free and domestic use sewing machines with shuttle and central bobbin case. Straight stitch, 4 kinds of zig zag, 12 kinds of ornamental stitches and buttonholes. Aluminium machine's body.





### SW-334

(A7439B)

2 needles 4 thread overlock machine equipped with differential transport feed, mechanical chainstitch cutter. The machine can also work at 1 needle, 3 threads for normal 3 threads overlock stitch and fine edging stitch.



### SW-1330

(A7441A)


2 and 3 needles interlock domestic sewing machine with bottom covering thread. The machine can also make single needle double chainstitch function.



### SW-1334

(A7441)


Interlock and overlock sewing machine. Equipped with 6 different kinds of presser feet already included in the accessory box of the machine. The machine sews, cuts and finishes. The cutting fabric attachment can be eliminated when the machine is used for interlock function. Overlock stitches: fine edging, 1 needle 3 threads, normal stitch 1 needle 3 threads, 2 needles 4 threads and 2 needles 5 threads. Interlock stitches: 1 needle 2 threads double chainstitch and 2 and 3 needles with bottom covering thread.



### PS

(PUL0003)

Small roller (15x25mm) puller device for single needle sewing machine for short seams.




### PS-AK

(PUL0037)

Small roller (15x25mm) puller device for single needle sewing machine for short seams. For Juki machines with AK presser foot lifter system in the rear part of the sewing machine head.

(PUL0037) AK-85 (DDL-8500/8700-5500)


(PUL0088) AK-118 (DDL-9000)



### PS-B

(PUL0035)

Small roller (15x25mm) puller device for single needle sewing machine for short seams. For SW-5571-7 and SW-380 chainstitch sewing machines or other machines lockstitch machines that have the backtacking solenoid in the rear part of the head of sewing machine.



### PL

Big size roller 55mm diameter puller device for 1 or 2 needles sewing machine for long seams. Available with 15mm, 35mm and 50mm of roller width.

PUL0004: PL5515 15 mm roller width

PUL0056: PL5535 35 mm roller width

PUL0057: PL5555 55 mm roller width








### PL-B

(PUL0070)

Big size roller (55mm diameter) puller device for single needle sewing machine for long seams for Brother type 2 needles lockstitch machines that have the backtacking solenoid in the rear part of the head of sewing machine.



### PL-AK


(PUL0058)

Big size roller (55mm diameter) puller device for single needle sewing machine for short seams. For 2 needles Juki machines with AK-89 presser foot lifter system in the rear part of the sewing machine head.

### PT

(PUL0001)

Big size roller puller device (55 mm diameter and 50mm width) with upper and lower roller transport. For 1 and 2 needles compound feed machines with horizontal hooks. For heavy fabrics like awnings.



Puller PT for 1510H-7 Pneumatic presser foot lifter  
Puller PT for 4410H-7 Pneumatic presser foot lifter

### PT-B

(PUL0050)

Big size roller puller device (55 mm diameter and 50mm width) with upper and lower roller transport. For 1 and 2 needles compound feed machines with horizontal hooks. For heavy fabrics like awnings. For Brother type machines with thread trimmer. .

Table for SW-2220/4410H machines


### PT-L

(PUL0078)

Big size roller puller device (55 mm diameter and 50mm width) with upper and lower roller transport. For long arm 1 and 2 needles compound feed machines with horizontal hooks. For heavy fabrics like awnings. The puller must be ordered special depending on the brand and model of sewing machine.


### (PUL0096)

PT puller made specially for Sewmaq SW-767H-7 and Adler 767





## Puller devices



### **PF**

**(PUL0021)**

Puller for feed-off-the arm double chainstitch sewing machines Brother and Juki type only.

## Pullers for overlock machines



### **PG**

**(PUL0063)**


Puller device for Juki 3900, Brother V and Pegasus Ex.



### **PK**

**(PUL0031)**

Puller device with upper and lower rollers for overlock machines. For continuous and long seams.



### **PK-SP**

**(PUL0071)**

Puller device for spaghetti sewing seams. For overlock machines.


## Puller for overlock machines



### PO

(PUL0025)

Continuous belt puller device for overlock machine. Ask for adaptable sewing machine brands and models. Presser foot not included in the price.




### PO-F

(PUL0062)

Continuous belt puller device for overlock machine for sewing polo collar. Pneumatic puller.

## Puller devices for interlock machines




### PL/S1

(PUL005)

Puller devices for interlock machines. Available for:

- KINGTEX FT-6500, YAMATO-2500
- KANSAI DPW-1302W
- PEGASUS W-562
- RIMOLDI 264.

\* Ask for other brands of machines.



### PL/S2

(PUL0018)


Puller device for cylinder bed interlock sewing machines.

- PEGASUS W-664
- RIMOLDI 171
- Sewmaq SW-664/UTP-1 machines with HVP-70 servo motor assembled in the rear part of the sewing machine head.

- KINGTEX.CT-6500/9000

\*Ask for other brands of machines.

## Puller device for blindstitch machines



### **PW**

**(PUL0030)**

Puller for blindstitch sewing machines with moving arm(cylinder bed Treasure H-140-141 and Maier).

## Tape feeding devices



### **TFU 16-3**

**(PUL0022)**

Upper tape feeding device. Maximum width of the tape 70mm. For overlock and zig zag sewing machines.



### **TFS -26-3**

**(PUL0026)**


Side tape feeding device. Maximum width of the tape 70mm. For interlock side tape sewing machines.



### **MDK 60-2**

**(PUL0014)**

Mechanical elastic tape feeding device for overlock machines. Table attachment holder. Maximum elastic width: 50mm. For any overlock sewing machine brand. Roller presser foot. Adaptable to any machine overlock.




### **MDK 61-2**

**(PUL0016)**

Mechanical elastic tape feeding device for overlock machines. Holder over the sewing machine head. Maximum elastic width: 50 mm.

(PUL0016) KINGTEX SH-7000

(PUL0087) SEWMAQ SW-3300




### **MC-S6U-57**

**(PUL0059)**


Electronical elastic tape feeding device for overlock machines with stepping motor. Table attachment holder. Maximum elastic width: 50mm. For any overlock sewing machine brand. 6 different tensions of the elastic tape. Change of elastic tape by knee switch.






### **MCA-18K-38/TR (PUL0044)(PURO061)**

Electronic elastic tape feeder with stepping motor. Equipped with panel for programming the tension of the elastic (27 programs). Automatic attachment for inserting the elastic tape in the presser foot and for cutting the elastic. Maximum width of the elastic tape: 38mm. Maximum quality of the tension even working at high speed. Pneumatic tension opener.






### **MDL-31-2**

**(PUL0012)**


Mechanical elastic tape feeder for zig zag machine. Maximum tape width: 50mm.



### **MC-S6Z-57**

**(PUL0074)**


Electronical elastic tape feeding with stepping motor device for zig zag machines. Inserting elastic from upper side. Maximum elastic width: 50mm. 6 different tensions of the elastic tape. Change of elastic tape by knee switch.



### **MC-S6S-57**

**(PUL0073)**


Electronical elastic tape feeding with stepping motor device for zig zag machines. Inserting elastic from lateral side. Maximum elastic width: 50mm. 6 different tensions of the elastic tape. Change of elastic tape by knee switch.



### **MDL-30-2**

**(PUL0010)**

Universal mechanical elastic tape feeder. Maximum tape width: 50mm.




### **MC-S6C-57**

**(PUL0046)**

Upper electronic elastic tape feeder for interlock sewing machine with stepping motor for zig zag machine. Equipped with programmer of the elastic tape tension (6 programs). Change of elastic tension by knee switch.

(PUL0046) for Kingtex/Yamato machines.

(PUL0060) for Pegasus W562 and Sewmaq 562.



### **MC-S6B-57**

**(PUL0072)**

Lower electronic elastic tape feeder for zig zag sewing machine with stepping motor for interlock machine. Equipped with programmer of the elastic tape tension (6 programs). Change of elastic tension by knee switch.



### **RTP**

**(PUL0028)**

Pneumatic rollers for tensioning the elastic tape in cylinder bed interlock sewing machines.

## Attachments for pneumatic chainstitch cutter



### **(KIN0027)**

Electric attachment for making the suction for overlock chainstitch cutters and waste of cutted fabric. It does not use pneumatic air connection.



### **(KIN0017)**

Ref. CV Pitman rod, ventury and all pneumatic components needed to install pneumatic overlock chainstitch cutters.



Pneumatic presser foot lifter for overlock machines:  
 (OSW0011) For Juki and Sewmaq 3300  
 (J6700001) For Juki 6700-3600, Kingtex 6000-7000  
 (PG0008) For Pegasus EX, Kingtex 9000





(CCP002) PEGASUS EX - side (3 y 4 thread)

(CCP001) PEGASUS EX - flat (5 thread)

(CCP004) PEGASUS M - side (3 y 4 thread)

(CCP003) PEGASUS M - flat (5 thread)

(CCB003) BROTHER V - side (3 y 4 thread)

(CCB002) BROTHER V - flat (5 thread)

(CCB005) BROTHER N - side (3 y 4 thread)

(CCB001) BROTHER N - flat (5 hilos)

(CC0J001) JUKI 6700-3600-3300/SEWMAQ 3300- side (3/4 thread)

(CC0J002) JUKI 6700-3600-3300/ flat (5 thread)

(KIN0031) KINGTEX SH-7003/4 - (JUKI 2400) side (3/4 thread)

(KIN0043) KINGTEX SHG-7005 for jeans

(KIN0029) KINGTEX SH-7005- (JUKI 2400) flat (5 thread)

(KIN0026) KINGTEX SHF-7005 top feed

(CCS001) SIRUBA 737/747 - side (3 y 2 thread)

(CCS002) SIRUBA 757 - flat (5 thread)

(CCY001) YAMATO AZ6/8000 - flat (5 thread)

(CCY002) YAMATO AZ6/8000 - side (3 y 4 thread)



### DRAWER

(A9003) Standard

(A9003A) Small

### STANDS



H type stand



Z type stand



H type stand  
with wheels



(A9001) Standard H type

(A9002) Standard Z type

(A9012) H type with wheels

(A9020) For SW-7129 machine for shoe repairing

(A9020A) For longer arm SW-7329H shoe repairing machine

(A9009) For SW-306. Moving column stand with 4 wheels

(A9005B) H type height adjustable stand (from 67.50cm to 83cm)

(A9037) Stand for long arm Barrel shuttle SW-205SH-25" cylinder bed machine

(A9048) Stand for normal arm Barrel shuttle SW-204SH flat bed machine

(A9047) Stand for normal arm Barrel shuttle SW-204SH-102 flat bed machine

(A9045) Stand for long arm zig zag long arm machine SW-366SH-30"

(A9027A) Stand for long arm compound feed sewing machine SW-4610H-20"

(A9027) Stand for long arm compound feed sewing machine SW-4610H-30"

(A9008) Stand for long arm compound feed sewing machine SW-1510H-25"

### FEED-OFF-THE ARM STANDS

(A9015) Feed-off-the arm stand

(A8268) Table hole to pass belt

(A8268A) "L" type table of lower position

### SUBMERGED TABLES

(A8020) For Juki 6700-3600 Kingtex 6000-7000

(A8020B) For Juki Sewmaq 3300

(A8020C) For Siruba Sewmaq 730 series overlock

(A8020D) For Pegasus Sewmaq EX Kingtex UH/UHD-9000

(A8020E) For Pegasus Sewmaq 562 Interlock

(A8020F) For SWD-742 overlock machine / Pegasus M800

(A8020G) For SWD-562-01 direct drive interlock machine

### VARIOUS

(A2014) 220/380V main switch

(A2015) Pitman rod

"Z" type belt for industrial sewing machine (from 29 to 57 sizes)





(A1001) 100 watts motor for household sewing machine

(A1003) 150 watts motor for household sewing machine.

(A1003B) CE electronical pedal for household sewing machine motor



## RMT

1400/2800RPM clutch motors of 220V or 380V complete with pitman rod, switch with cable, screws and pulley.



## SW-2-400

(OA3022T)

SW-2-400: Carbon electronical motor with maximum speed adjustable. To be installed instead of clutch motors. 40% electricity saving. Very low level of noise.

(A3022T)-220V 1PH

(A3022T1)-380V 3PH



## G-40-1-00-220

(A3022Y)

Ho Hsing AC servomotor with maximum adjustable speed and needle positioning function. Power 400w, direction of rotation of motor adjustable. Includes external synchronizer. Suitable for any kind of industrial sewing machine.

## G-60-1-00-220

(A3022Z)

Ho Hsing AC servomotor with maximum speed and needle positioning function. Power 600w, direction of rotation of motor adjustable. Includes external synchronizer. Suitable for compound feed and other kinds of heavy duty sewing machines.



## SW-30R-600

(OA3022U)

AC servo motor with maximum adjustable speed . Up/down needle positioning function. External synchronizer supplied with the motor. 600 watts for heavy duty 1 and 2 needles sewing machines. With pneumatic presser foot exit function.



HO HSING



HO HSING

### **i90-4-BR-220**

**(A7552G)**

Servo motor with signals for thread trimmer, backtacking, wipper, presser foot lifter. Includes external synchronizer and panel. Universal type 550w for any kind of sewing machine such as overlock, interlock with thread trimmer, 1 and 2 needle lockstitch, etc.

### **i90-4-ED-220**

**(A7552H)**

Servo motor with signals for thread trimmer, backtacking, wipper, presser foot lifter. Includes external synchronizer and panel. Universal type 750w for shuttle Barrel heavy duty sewing machines such as 204 and 205.



HO HSING

### **(A7573)**

MA-4 servo motor for Mitsubishi type sewing machines single needle with thread trimmer. External synchronizer.

### **(A7575)**

MA-4 Universal servo motor sewing machines single needle with thread trimmer. External synchronizer.



HO HSING

### **(A7565)**

i-70 servo motor with signals for thread trimmer, backtacking, wipper, presser footlifter and panel. Universal type 750watts servo motor can be installed in heavy duty sewing machine Adler type 767/768 only.

### **(A7571)**

i-70 Mini servo universal motor 750w power.



### **(HSS0192)**

Stand pedals for i-70 and i-90 servo motors.



### **(H900016)**

Photocell for i-90 and i-70 servo motors.





### **Assembling set for industrial sewing machines**

For standards sewing machines.

For submerged type sewing machines  
(120x54cm size table)

### **Adaptor cables kits for servo motors i-70 and i-90 BR type**

Brother B737  
Durkopp 271  
Juki 5550-7/8700-7  
Kansai Special interlock  
Pegasus/Sewmaq interlock  
Pfaff  
Singer 1591  
Toyota AD158  
Kingtex interlock

#### **(A7551L)**

External synchronizer for BR type servo motors. Round connector.

#### **(A7551Y)**

External synchronizer for Mitsubishi type servo motors. Rectangular connector.

### **Chairs for sewing machine operators height adjustable**

#### **(A9034A) Blue color**



#### **(A9034G) Light grey color**





### **SW-5550**

**(A7628B)**

Single needle lockstitch sewing machines with automatical oil lubrication. Small hook, speed 5500 RPM, stitch length 4mm.



### **SWD-7100**

**(A7622B)**

Direct drive single needle lockstitch sewing machine with automatical oil lubrication. Small hook, speed 5500 RPM, 4mm stitch length. Mini servo motor, control box and main switch are all inside the sewing machine head.



### **SW-5570**

**(A7628)**

Single needle lockstitch sewing machines with automatical oil lubrication. Small hook, speed 5500 RPM, stitch length 4mm.

### **SW-5570-L**

**(A7612A)**

Single needle lockstitch sewing machines with automatical oil lubrication. Small hook, speed 4500 RPM, stitch length 7mm for sewing heavy duty.

### **SW-5570-H**

**(A7612)**

Single needle lockstitch sewing machines with automatical oil lubrication. Large hook, speed 4500 RPM, stitch length 7mm for sewing heavy duty.



### **SW-8700-7**

**(A7628L)**

Single needle lockstitch sewing machine with automatic thread trimmer, backtacking, wiper and AK-85 presser foot lifter. Includes Ho Hsing servo motor and Koban Japan made hook.



### **SWD-8400-7**

**(A7628Q)**

Direct drive single needle lockstitch machine with automatic thread trimmer, backtacking, wiper and AK-85 presser foot lifter.



### **SW-9900/SS-7**

**(A7616E)**

Direct drive servo motor single needle lockstitch sewing machine with thread trimmer, backtacking, wiper and presser foot lifter. With automatical oil lubrication, 4mm stitch length, speed 5500RPM. Programmer.

### **SW-9900/SH-7**

**(A7616F)**

Direct drive servo motor single needle lockstitch sewing machine with thread trimmer, backtacking, wiper and presser foot lifter. With automatical oil lubrication, 5mm stitch length, speed 5500RPM. Programmer. For jeans heavy duty with reinforced thread trimmer knives system.

## Needle feed machines



### **SW-1120**

(A7611H)

Single needle lockstitch needle feed transport sewing machine with small hook, speed 5000RPM, 4mm stitch length.

### **SW-1120L**

(A7611I)

Single needle lockstitch needle feed transport sewing machine with large hook, speed 4000RPM, 5mm stitch length for heavy duty.

### **SW-1120H**

(A7611J)

Single needle lockstitch needle feed transport sewing machine with large hook, speed 3500 rpm, 5mm stitch length.

## Needle feed machines with thread trimmer



### **SW-9910SS-7**

(A7616G)

Direct drive servo motor single needle lockstitch needle feed transport sewing machine with thread trimmer, backtacking, wiper and presser foot lifter. With automatic oil lubrication, 4mm stitch length, speed 5500RPM. Programmer.

### **SW-9910SH-7**

(A7616H)

Direct drive servo motor single needle lockstitch needle feed transport sewing machine with thread trimmer, backtacking, wiper and presser foot lifter. With automatic oil lubrication, 5mm stitch length, speed 5500RPM. Programmer. For jeans heavy duty with reinforced thread trimmer knives system.



## 1 needle feed with thread trimmer



### **SW-1120-7**

**(A7629)**

Single needle lockstitch needle feed transport sewing machine. Equipped with automatic thread trimmer, backtacking, wiper and presser foot lifter. Stitch length 4mm, small hook, speed 5.000 s.p.m., servo motor MD-4.

### **SW-1120-7L**

**(A7614C)**

Single needle lockstitch needle feed transport sewing machine. Equipped with automatic thread trimmer, backtacking, wiper and presser foot lifter. Stitch length 5mm, small hook, speed 4.000 s.p.m., servo motor MD-4.

## Side cutter lockstitch machines



### **SW-5572**

**(A7632)**

Single needle lockstitch sewing machine normal feed dog transport with side cutter. Speed 5500RPM, Stitch length 4mm.

### **SW-5573**

**(A7632A)**

Single needle lockstitch sewing machine normal needle feed transport with side cutter. Speed 5500RPM, Stitch length 4mm.



### **SW-5573-7**

**(A7632B)**

Single needle lockstitch sewing machine normal needle feed transport with side cutter. Speed 5500RPM, Stitch length 4mm. Equipped with thread trimmer, backtacking, wiper, presser foot lifter, servo motor and programmer.



### **SW-5571H-7**

**(A7617)**

Single needle lockstitch large hook sewing machine with thread trimer, backtacking, wipper and presser foot lifter. With automatic oil lubrication, 7mm stitch length, 4500RPM, for heavy duty. Servo motor and programmer.

## 2 needles needle feed machines

### **SW-4842**

**(A7610K)**

Flat bed 2 needles lockstitch needle feed transport sewing machine, small hooks, 4mm stitch length, speed 3500RPM. Fixed single needle bar.



### **SW-4872H**

**(A7634I)**

Flat bed 2 needles lockstitch needle feed transport sewing machine, large hooks, 4mm stitch length, speed 3000RPM. Fixed single fixed needle bar.

### **SW-4842-7**

**(A7643J)**

Flat bed 2 needles lockstitch needle feed transport sewing machine, small hooks, 4mm stitch length, speed 3500RPM. Fixed single fixed needle bar. Equipped with thread trimmer, backtacking, wiper, presser foot lifter, servo motor and programmer.



### **SW-4872H-7**

**(A7643K)**

Flat bed 2 needles lockstitch needle feed transport sewing machine, large hooks, 4mm stitch length, speed 3000RPM. Fixed single fixed needle bar. Equipped with thread trimmer, backtacking, wiper, presser foot lifter, servo motor and programmer.

## 2 needles needle feed machines



### **SW-4845-3**

(A7643L)

Flat bed 2 needles lockstitch needle feed transport sewing machine, small hooks, 4mm stitch length, speed 3500RPM. Split needle bar for cornstitching sewing.

### **SW-4875H-3**

(A7643M)

Flat bed 2 needles lockstitch needle feed transport sewing machine, large hooks, 7mm stitch length, speed 3000RPM. Split needle bar for cornstitching sewing.



### **SWD-4845-3-7**

(A7643O)

Flat bed 2 needles lockstitch needle feed transport sewing machine, small hooks, 4mm stitch length, speed 3500RPM. Split needle bar for cornstitching sewing. Equipped with thread trimmer, backtacking, wiper, presser foot lifter, servo motor and programmer.

### **SW-4875H-3-7**

(A7643A)

Flat bed 2 needles lockstitch needle feed transport sewing machine, large hooks, 7mm stitch length, speed 3000RPM. Split needle bar for cornstitching sewing. Equipped with thread trimmer, backtacking, wiper, presser foot lifter, servo motor and programmer.

## Lockstitch machines with differential feed for ruffling



### **SW-842**

(A7615A)

Single needle lockstitch sewing machine with differential feed for ruffling. Equipped with automatic oil lubrication system, speed 4000RPM, stitch length 5mm.

### **SW-842-7**

(A7615B)

Single needle lockstitch sewing machine with differential feed for ruffling. Equipped with automatic oil lubrication system, speed 4000RPM, stitch length 5mm. Equipped with thread trimmer, backtacking, wiper, presser foot lifter, servo motor and programmer.



### **SW-840H**

**(A7620)**

Large hook single needle lockstitch top and bottom feed transport (transport by presser foot and feed dog) sewing machine, speed 2000 RPM, automatic oil lubrication system.



### **SWD-840H-7**

**(A7611N1)**

Direct drive large hook top and bottom feed sewing machine (transport by presser foot and feed dog) with automatic thread trimmer and backtacking functions.



### **SW-844H**

**(A7620A)**

Large hook single needle lockstitch top and bottom feed transport (transport by presser foot and feed dog) sewing machine, speed 2000 RPM, automatic oil lubrication system and upper top dial for presser feet height jumping regulation.



## Top and bottom feed machines



### **SW-848H**

**(A7633)**

Long arm (33.50cmx17cm) large hook single needle lock-stitch top and bottom feed transport (transport by presser foot and feed dog) sewing machine, speed 2000 RPM, automatic oil lubrication system and upper top dial for presser feet height jumping regulation.



### **SW-848H-7H**

**(A7634)**

Long arm (33.50cmx17cm) large hook single needle lock-stitch top and bottom feed transport (transport by presser foot and feed dog) sewing machine, speed 2000 RPM, automatic oil lubrication system and upper top dial for presser feet height jumping regulation. Equipped with thread trimmer, backtacking, presser foot lifter, servo motor and programmer.

## Compound feed sewing machines



### **SW-206H-SC**

**(A7627A)**

Single needle lockstitch compound feed sewing machine with vertical large hook, stitch length 10mm, speed 2000 RPM. Equipped with safety clutch to prevent the machine could lose the mechanical centering point in case the hook gets blocked.



### **SW-206H-7**

**(A7615)**

Single needle lockstitch compound feed sewing machine with vertical large hook, stitch length 10mm, speed 2000 RPM. Equipped with thread trimmer, backtacking, presser foot lifter, servo motor and programmer.

## Single needle compound feed machines



### **SW-4410H**

(A7631A)

Single needle lockstitch compound feed sewing machine with horizontal large hook, stitch length 9mm, speed 2000 RPM.

### **SW-4410H-7**

(A7649B)

Single needle lockstitch compound feed sewing machine with horizontal large hook, stitch length 9mm, speed 2000 RPM. Equipped with thread trimmer, backtacking, presser foot lifter, servo motor and programmer.

## Two needle compound feed sewing machines



### **SW-4420H**

(A7631)

Two needle lockstitch compound feed sewing machine with horizontal large hooks, stitch length 9mm, speed 2000 RPM.

### **SW-4420H-7**

(A7649C)

Two needle lockstitch compound feed sewing machine with horizontal large hooks, stitch length 9mm, speed 2000 RPM. Equipped with thread trimmer, backtacking, presser foot lifter, servo motor and programmer.

## Two needle compound feed machines with split needle bar



### **SW-4420H-3**

**(A7631G)**

Two needle lockstitch compound feed sewing machine with horizontal large hooks, stitch length 9mm, speed 2000 RPM. Split needle bar for cornestitching sewing.



### **SW-4420H-3-7**

**(A7649A)**

Two needle lockstitch compound feed sewing machine with horizontal large hooks, stitch length 9mm, speed 2000 RPM. Equipped with thread trimmer, backtacking, presser foot lifter, servo motor and programmer. Split needle bar for cornestitching sewing.

## Single needle compound feed machines



### **SW-1245H**

**(A7459W)**

Single needle Pfaff type compound feed sewing machine with horizontal hook.



### SW-4510H

(A7459B)

Single needle large horizontal hook compound feed lockstitch sewing machine. Equipped with upper big dial to control the presser feet jumping height. Stitch length 9mm.

### SW-4511H

(A7459M)

Single needle large horizontal hook compound feed lockstitch sewing machine. Equipped with upper big dial to control the presser feet jumping height. Stitch length 9mm. Adler 467/767 type presser feet system.



SW-4511H series

### SW-4520H

(A7459T)

Two needles large horizontal hooks compound feed lockstitch sewing machine. Equipped with upper big dial to control the presser feet jumping height. Stitch length 9mm.

### SW-4510H-7

(A7459E)

Single needle large horizontal hook compound feed lockstitch sewing machine. Stitch length 9mm. Equipped with electric thread trimmer and tension opener. Equipped with pneumatic backtacking, upper big dial to control the presser feet jumping height and presser foot lifter. Includes small front panel, i90 servo motor of 750watts and programmer.



### SW-4520H-7

(A7459L)

Two needles large horizontal hooks compound feed lockstitch sewing machine. Stitch length 9mm. Equipped with electric thread trimmer and tension opener. Equipped with pneumatic backtacking, upper big dial to control the presser feet jumping height and presser foot lifter. Includes small front panel, i90 servo motor of 750watts and programmer.



## 2 needles compound feed machines with split needle bar



### **SW-4520H-3**

(A74459D)

Two needles large horizontal hooks compound feed lockstitch sewing machine. Equipped with upper big dial to control the presser feet jumping height. Stitch length 9mm. With split needle bar system for sewing cornestitching seams.

### **SW-4520H-3-7**

(A7459G)

Two needles large horizontal hooks compound feed lock lockstitch sewing machine. Stitch length 9mm. Equipped with electric thread trimmer and tension opener. Equipped with pneumatic backtacking, upper big dial to control the presser feet jumping height and presser foot lifter. Includes small front panel, i90 servo motor of 750watts and programmer. With split needle bar system for sewing cornestitching seams.

## 1 and 2 needles long compound feed machines



### **SW-4510H-25"**

(A7459H)

Long arm 25" (63.50cm) single needle large horizontal hook compound feed lockstitch sewing machine. Equipped with upper big dial to control the presser feet jumping height. Stitch length 9mm. Equipped with pneumatical presser foot lifter only (not mechanical).

### **SW-4520H-25"**

(A7459A)

Long arm 25" (63.50cm) two needles large horizontal hook compound feed lockstitch sewing machine. Equipped with upper big dial to control the presser feet jumping height. Stitch length 9mm. Equipped with pneumatical presser foot lifter only (not mechanical).

### **SW-4510H-25"-7**

(A7459J)

Long arm 25" (63.50cm) single needle large horizontal hook compound feed lockstitch sewing machine. Stitch length 9mm. Equipped with electric thread trimmer and tension opener. Equipped with pneumatic backtacking, upper big dial to control the presser feet jumping height and presser foot lifter. Includes small front panel, i90 servo motor of 750watts and programmer.

### **SW-4520H-25"-7**

(A7459I)

Long arm 25" (63.50cm) two needles large horizontal hooks compound feed lockstitch sewing machine. Stitch length 9mm. Equipped with electric thread trimmer and tension opener. Equipped with pneumatic backtacking, upper big dial to control the presser feet jumping height and presser foot lifter. Includes small front panel, i90 servo motor of 750watts and programmer.



### **SW-898H**

**(A7606C)**

Single needle large hook longer arm (30cm.) compound feed sewing machine. Equipped with mechanical upper big dial to control the presser feet jumping height. One only stitch length.

### **SW-898H-2**

**(A7606A/D)**

Two needles large hooks longer arm (30cm.) compound feed sewing machine. Equipped with mechanical upper big dial to control the presser feet jumping height. One only stitch length.



### **SW-898H-7**

**(A7606)**

Single needle large hook longer arm (30cm.) compound feed sewing machine. Equipped with electric thread trimmer. Equipped with pneumatic backtacking, presser foot lifter, upper big dial to control the presser feet jumping height and two stitch length dials selector. Includes small front panel with 4 functions+end of bobbin counter, i70 servo motor of 750watts and programmer.

### **SW-898H-2-7**

**(A7606B/B1/B2)**

Two needles large hooks longer arm (30cm.) compound feed sewing machine. Equipped with electric thread trimmer. Equipped with pneumatic backtacking, presser foot lifter, upper big dial to control the presser feet jumping height and two stitch length dials selector. Includes small front panel with 4 functions+end of bobbin counter, i70 servo motor of 750watts and programmer.



### **SW-4767H-LG**

**(A7634O)**

Single needle large hook longer arm (30cm.) compound feed sewing machine. Equipped with mechanical upper big dial to control the presser foot jumping height. One only stitch length. Equipped with binder attachment synchronized with the presser foot and feed dog movement and both mechanical and pneumatic presser foot lifters.



### **SW-4767H-AE**

**(A7634G)**

Single needle large hook longer arm (30cm.) compound feed sewing machine. Equipped with mechanical upper big dial to control the presser foot jumping height. One only stitch length. Equipped with binder attachment synchronized with the presser foot and feed dog movement and side cutter both mechanical and both mechanical and pneumatic presser foot lifters. Specially designed for binding heavy quilts.

## Post bed compound feed machine



### SW-8768H

(A7634C)

Two needles post bed compound feed sewing machine specially designed for sewing leather upholstery goods. Equipped with pneumatic backtacking, presser footlifter, tension opener to be used when sewing extremely thick materials and upper big dial to control the presser feet jumping height. Central seam pneumatic guide with up/down position controlled by knee switch.



## Awnings machine



### SW-4767H-2-7

Two needles compound feed sewing machine with speed 3500RPM with table for sewing awnings. Head with thread trimmer, backtacking, presser foot lifter, presser feet jumping, stitch length selector and double transport puller. Includes 6m+6m of tables (supplied in sections of 2 meters) with rollers to help to transport heavy awnings. Includes 4 binders with quick change base to make 4 different kind of seams: binding, inserting spaghetti plastic tube, binding with spaghetti plastic tube and union of fabrics. Needle gauge 16mm.

The table can be enlarged in sections of 2 meters.




INSERTING PLASTIC CHORD IN EDGE



2 FABRICS OVER SEAMING



INSERTING PLASTIC CHORD IN THE MIDDLE OF THE AWNING



EDGING SEWING





### **SW-4767H-30"**

**(A7634V)**

Long arm 30" (76.20cm) single needle large hook compound feed sewing machine. Equipped with mechanical upper big dial to control the presser feet jumping height. One only stitch length. Includes both mechanical and pneumatic presser foot lifters.



### **SW-4767H-30"-7**

**(A7634W)**

Long arm 30" (76.20cm) single needle large hook compound feed sewing machine. Equipped with electric thread trimmer. Equipped with pneumatic backtacking, presser foot lifter, upper big dial to control the presser feet jumping height and two stitch length dials selector. Includes small front panel with 4 functions+end of bobbin counter, i70 servo motor of 750watts and programmer.



### **SW-4767H-2-30"**

**(A7634X)**

Long arm 30" (76.20cm) two needles large hooks compound feed sewing machine. Equipped with mechanical upper big dial to control the presser feet jumping height. One only stitch length. Includes both mechanical and pneumatic presser foot lifters.



### **SW-4767H-2-30"-7**

**(A7634Y)**

Long arm 30" (76.20cm) two needles large hook compound feed sewing machine. Equipped with electric thread trimmer. Equipped with pneumatic backtacking, presser foot lifter, upper big dial to control the presser feet jumping height and two stitch length dials selector. Includes small front panel with 4 functions+end of bobbin counter, i70 servo motor of 750watts.

## 20" long arm compound feed machines



### **SW-4610H-20"/BT/FL**

**(A7643E)**

Long arm 20" (50.80cm) single needle sewing machine equipped with extra large capacity hook. Equipped with pneumatic backtacking and presser foot lifter. Servo motor i70 of 750watts.

### **SW-4620H-20"/BT/FL**

**(A7643D)**

Long arm 20" (50.80cm) two needles sewing machine equipped with extra large capacity hook. Equipped with pneumatic backtacking and presser foot lifter. Servo motor i70 of 750watts.

## 30" long arm compound feed machines



### **SW-4610H-30"/BT/FL**

**(A7643F)**

Long arm 30" (76.20cm) single needle sewing machine equipped with extra large capacity hook. Equipped with pneumatic backtacking and presser foot lifter. Servo motor i70 of 750watts.

### **SW-4620H-30"/BT/FL**

**(A7643G)**

Long arm 30" (76.20cm) two needles sewing machine equipped with extra large capacity hook. Equipped with pneumatic backtacking and presser foot lifter. Servo motor i70 of 750watts.

\* Option: Puller for 4600H series

## 20" long arm compound feed machines



### **SW-SLH-2B-1FH**

**(A7645C)**

Top and bottom feed transport extra big capacity Barrel shuttle sewing machine for extra heavy materials. Can sew materials up to 32mm height. Equipped with pneumatic presser foot lifter.

## Compound feed Barrel shuttle machines



### **SW-204SH-370/BT/FL**

**(A7645E)**

Single needle flat bed machine with Barrel (KSP-204N) large shuttle for heavy materials. Can sew materials up to 20mm height. Equipped with pneumatic backtacking and presser footlifter.

### **SW-204SH-420/BT/FL**

**(A7645A)**

Same as before with 420mm arm length.



### **SW-205SH-370/BT/FL**

**(A7645F)**

Single needle cylinder bed machine with Barrel (KSP-204N) large shuttle for heavy materials. Can sew materials up to 20mm height. Equipped with pneumatic backtacking and presser footlifter.

### **SW-205SH-420/BT/FL**

**(A7645H)**

Same as before with 420mm arm length.



### **SW-205SH-370-25"/BT/FL**

**(A7645F)**

Long arm 25" (63.50cm) single needle cylinder bed machine with Barrel (KSP-204N) large shuttle for heavy materials. Can sew materials up to 20mm height. Equipped with pneumatic backtacking and presser footlifter.

## Cylinder bed compound feed machines



### SW-1335H

(A7634)

Single needle compound feed sewing machine for binding equipped with vertical large hook. Small cylinder bed size. Stitch length 6mm.



### SW-1336H

(A7634A)

Single needle compound feed sewing machine equipped with horizontal large hook. Stitch length 6mm.



### SW-1442H

(A7644C)

Single needle compound feed sewing machine equipped with horizontal large hook, pneumatic presser foot lifter, mechanical upper big dial for presser feet jumping height. Small cylinder bed size. Stitch length 6mm.

### SW-1442H-7

(A7644B)

Single needle compound feed sewing machine equipped with large horizontal hook. Equipped electrical thread trimmer and tension opener. Equipped with pneumatic backtacking, upper big dial to control the presser feet jumping height and presser foot lifter. Adler 69 type presser feet.

## Post bed compound feed machines



### SW-8410H

(A7646H)

Single needle post bed compound feed sewing machine. Large hook placed at the left side of the needle.

### SW-8420H

(A7646C)

Two needles post bed compound feed sewing machine. Large hooks.



## Post bed compound feed machines



### **SW-8420H-3**

**(A7646D)**

Two needles post bed compound feed sewing machine with split needle bar for corner stitching. Large hooks. Standard gauge 5/16" (7.93mm) and 3/8" (9.52mm).

### **SW-4410-ALT-45L**

**(A7640)**

High post bed (45cm) single needle post bed compound feed sewing machine. Large hook placed at the left side of the needle.

## Post bed machines for shoes



### **SW-810**

**(A7618)**

Post bed single needle small hook sewing machine with transport by plain feed dog. Roller presser feet.

### **SW-820**

**(A7619)**

Post bed two needles small hooks sewing machine with transport by plain feed dog. Roller presser feet.



### **SW-8110**

**(A7646A)+(FCO 9999)**

Post bed single needle small hook sewing machine with transport by needle and plain feed dog. Roller presser foot.

### **SW-8120**

**(A7646A)**

Post bed two needles small hooks sewing machine with transport by needle and plain feed dog. Roller presser foot.

## Post bed machines for shoes



### **SW-8810**

(A7618A)

Post bed single needle small hook sewing machine. Transport by needle, roller presser foot and roller feed dog.

### **SW-8820**

(A7619A)

Post bed two needles sewing machine. Transport by needles roller presser foot and roller feed dog.

## Post bed machines for shoes with thread trimmer



### **SW-9630-7**

(A7618H)

Single needle post bed small hook sewing machine equipped with electric thread trimmer, backtacking and presser foot lifter. Needle feed, roller presser foot, roller feed dog transport. Ho Hsing MD-4 servo motor of 750w assembled under the sewing machine head.

### **SW-9630P-7**

(A7618I)

Single needle post bed small hook sewing machine equipped with pneumatic thread trimmer, backtacking and presser foot lifter. Needle feed, roller presser foot, roller feed dog transport. Ho Hsing MD-4 servo motor of 750w assembled under the sewing machine head.

### **SW-9620P-7**

(A7618P)

Double needle post bed small hook sewing machine equipped with pneumatic thread trimmer, backtacking and presser foot lifter. Needle feed, roller presser foot, roller feed dog transport. Ho Hsing MD-4 servo motor of 750w assembled under the sewing machine head.



### **SW-9710-7**

**(A7609A)**

Post bed single needle small hook sewing machine. Transport by needle, roller presser foot and roller feed dog. Equipped with electric thread trimmer, backtacking and presser foot lifter. Mini servo motor MD-4 of 750watts assembled under the sewing machine's head.

### **SW-9710H-7**

**(A7609)**

Post bed single needle large hook sewing machine. Transport by needle, roller presser foot and roller feed dog. Equipped with electric thread trimmer, backtacking and presser foot lifter. Mini servo motor MD-4 of 750watts assembled under the sewing machine's head.

### **SW-9720-7**

**(A7609B)**

Post bed two needles small hooks sewing machine. Transport by needles, roller presser foot and roller feed dog. Equipped with electric thread trimmer, backtacking and presser foot lifter. Mini servo motor MD-4 of 750watts assembled under the sewing machine's head.

### **SW-9720H-7**

**(A7609C)**

Post bed two needles large hooks sewing machine. Transport by needles, roller presser foot and roller feed dog. Equipped with electric thread trimmer, backtacking and presser foot lifter. Mini servo motor MD-4 of 750watts assembled under the sewing machine's head.



### **SW-2004-1**

(A7487)

Barrel shuttle electronic sewing machine to make ornamental stitches on leather or other heavy materials (used in shoes and upholstery production). The machine makes 100 different designs with 1 needle and 100 different designs with 2 needles. Mini servo motor Efka.



### **SW-2004SH-102**

(A7645D)

Two needles Barrel shuttle sewing machine with double roller presser feet to make moccasin stitch in shoes.



### **SW-20CT-340-10**

(A7673)

Leather bands cutting machine. The machine can cut till 20 bands. Maximum space available 340mm.



## Leather skiving machine



### **SW-801**

**(A7630J)**

Leather skiving machine.

## Machines for shoe repairing



### **SW-7129**

**(A7411A)**

Short arm cylinder bed small bobbin shoe sewing machine. Can sew 360°. For repairing shoes and bags.



### **SW-7329H**

**(A7442A)**

Long arm (44cm) cylinder bed small bobbin shoe sewing machine. Can sew 360°. For repairing shoes and bags.

## Special machines for leather



### **MS-961**

**(A7484)**

Single needle for sewing leather materials that have also hair on it. Double plain feeding system, horizontal needle.



### **SW-20U53**

(A7472B)

Semi industrial use single needle zig zag sewing machine, maximum zig zag width: 8mm, 3 positions (right, center and left) to make buttonholes.

### **SW-20U63**

(A7472)

Semi industrial use single needle zig zag sewing machine, maximum zig zag width: 8mm, 3 positions (right, center and left) to make buttonholes.



### **SW-2284-1**

(A7472V/W)

High speed (5.500 spm) zig zag sewing machine. maximum zig zag width: 6 mm. The machine makes simple 1 stitch 2 points zig zag and also 3 stitches 4 points by moving a lever.



### **SWD-2990E-7**

(A7472U)

Direct drive high speed electronic zig zag machine with automatic thread trimmer, backtacking, thread wiper and presser foot lifter. Needle and feed dog moved by stepping motors. The machine can sew front and back and can make any sewing design. Includes 75 programs in the memory of the machine. Touch screen panel.



### SW-566H

(A7472K)

Single needle large hook zig zag sewing machine. Zig zag width: 10mm, speed 3500 RPM.



### SW-566H-CAM

(A7472H)

Single needle large hook zig zag sewing machine with interchangeable cams.



### SW-566H-7

(A7472N)

Single needle large hook zig zag sewing machine with electrical thread trimmer, backtacking and presser foot lifter. i90 550watts servo motor. Zig zag width: 10mm, 3500 RPM.




### SW-566H-7-CAM

(A7472O)

Single needle large hook zig zag sewing machine with interchangeable cams. Maximum speed 3500 RPM. Equipped with thread trimmer, backtacking and presser footlifter.



## Top and bottom feed zig zag machine



### **SW-4566H**

(A7472L)

Single needle large hook top and bottom feed (transport by feed dog and presser foot) zig zag sewing machine.

## Long arm zig zag sewing machines



### **SW-566H-30"**

(A7472J)

Single needle long arm 30" (76.20cm) zig zag sewing machine with simple zig zag stitch: 1 stitch 2 points. Zig zag width: 10mm.



### **SW-566H-30"-CAM**

(A7472L)

Single needle long arm 30" (76.20cm) zig zag sewing machine with interchangeable cams. Includes also rear pneumatic puller device, backtacking and presser foot lifter.



### **SW-566H-30"-7-CAM**

(A7472P)

Single needle long arm 30" (76.20cm) zig zag sewing machine with interchangeable cams. Equipped with thread trimmer, backtacking, presser foot lifter and rear pneumatic puller device.



## Post bed zig zag sewing machine



### **SW-8566H**

(A7472O)

Single needle post bed zig zag sewing machine. Small hook. Zig zag width: 10mm.



## Cylinder bed zig zag sewing machine



### **SW-1566H**

(A7473)

Cylinder bed single needle zig zag sewing machine. Zig zag width 10mm.

## Barrel shuttle zig zag machine



### **SW-366SH-30"/BT/FL**

(A7472G)

Long arm 30" (76.20cm) single needle flat bed zig zag sewing machine equipped with pneumatic backtacking and presser foot lifter. For sewing extremely thick fabrics like sails. Equipped with large Barrel shuttle. Supplied with pneumatic upper and lower puller attachment and needle air colling device.



### **SW-204SH-104**

(A7645J)

Top and bottom transport Barrel shuttle zig zag machine for extra heavy metals materials. Includes 3 zig zag interchangeable cams.



## Double chainstitch machines



### **SW-380-1**

(A7621A)

Single needle 2 threads double chainstitch sewing machine. Speed 4000 RPM.

### **SW-380**

(A7621)

Two needle 4 threads double chainstitch sewing machine. Speed 4000 RPM. Gauges available:

- (A7621) 1/4"
- (A7621B) Tandem
- (A7621C) 3/16"
- (A7621D) 3/8"

## Feed-off-the arm machines



### **SW-345-1**

**(A7471A)**

2 needles feed-off-the arm double chainstitch sewing machine. Speed 2800RPM. Gauge 3/16". For sewing shirts, puller device (PF) not included.



### **SW-345-1H**

**(A7470A)**

3 needles feed-off-the arm double chainstitch sewing machine. Speed 2800RPM. Gauge 1/4". For jeans, puller device not included.



### **SW-345-2H**

**(A7460M)**

3 needles feed-off-the arm double chainstitch sewing machine with metal puller assembled in the head. 2800 RPM. Gauge 1/4". For jeans.



### **SW-345-1H/PBF**

**(A7472G)**

3 needles feed-off-the arm double chainstitch sewing machine with continuous belt puller device. Includes pneumatic lifter of puller and presser foot at the same time. Equipped with i90 servo motor and chainstitch suction cutter device.

## Button sewing machines



### **SW-BTF**

**(A7405)**

Chainstitch button sewing machine (button diameter 10-27mm), 8, 16 or 32 stitches and 2 or 4 holes.

### **SW-2373**

**(A7416)**


Chainstitch button sewing machine (button diameter 10-27mm), 2 and 4 holes and straight or cross stitches.



### **SW-2377**

**(A7671)**

Chainstitch button sewing machine (button diameter 10-27mm), 2 and 4 holes and straight or cross stitches. Condensation end stitches to avoid the button gets lost after certain use.



## Button sewing machines



### **SW-1903-SC**

**(A7660P)**

Electronic lockstitch button sewing machine. 2500RPM. Equipped with 33 different programmed patterns for 2, 3 and 4 holes. Direct drive servo motor.



### **SW-1903+00+(30x40)-SF**

**(A7660S)**

Direct drive electronic lockstitch button sewing machine. Equipped with touch screen panel with easy use. New designs can be created directly from the machines's panel. Included in the accessories box all need parts to transform the machine into bartacking (1900) and also into 30x40 mm. pattern sewer. Special designs can be created from an external computer by using Juki type software and sent to the machine through a USB port.

## Bartacking sewing machines



### **SW-1900-SC**

**(A7660O)**

Electronic lockstitch bartacking machine equipped with direct drive servo motor, panel and 45 different sewing programs. Maximum sewing area:40x30mm. Speed 2500 RPM.



### **SW-1900+03+(30x40)-SF**

**(A7660S)**

Direct drive electronic lockstitch bartacking sewing machine. Equipped with touch screen panel with easy use. New designs can be created directly from the machines's panel. Included in the accessories box all need parts to transform the machine into button sewer (1903) and also into 30x40 mm. pattern sewer. Special designs can be created from an external computer by using Juki type software and sent to the machine through a USB port.



## Lockstitch buttonhole machines



### **SW-781-U**

(A7053)

Mechanical lockstitch buttonhole sewing machines for shirts.



### **SWD-781-U**

(A7053A)

Direct drive lockstitch buttonhole sewing machine. The clutch mechanical parts are eliminated and substitute direct drive servo motor. Speed adjustable by panel.



### **SW-2792S**

(A7628G)

Electronic lockstitch buttonhole sewing machine. Direct drive servo motor. Equipped with x and y stepping motors as well as stepping motor driven knife fabric cutter. Supplied with 120mm length buttonhole gauge and 36mm gauge in accessory box and 30 different buttonhole programs. Multicutting buttonhole device included.

## Chainstitch buttonhole machines



### **SW-982-01**

(A7628D)

Electronic eyelet buttonhole sewing machine with x and y axis driven by stepping motors. Equipped with fabric cutting before of after sewing, upper and lower threads trimmer. Can make the buttonhole with or without eye and opened or closed with bartacking. For jackets and pants. Length of thread after trimmer: 20mm.

### **SW-982-02**

(A7628E)

Electronic eyelet buttonhole sewing machine with x and y axis driven by stepping motors. Equipped with fabric cutting before of after sewing, upper and lower threads trimmer. Can make the buttonhole with or without eye and opened or closed with bartacking. For jeans pants.



## Eyelet buttonhole machine



### SW-9820-01

(A7625D)

Direct drive electronic eyelet buttonhole sewing machine with x and y axis driven by stepping motors. Equipped with fabric cutting before or after sewing, upper and lower threads trimmer. Can make the buttonhole with or without eye and opened or closed with bartacking. For jackets and pants. Length of thread after trimmer: 20mm. High speed.

## Pattern sewing machines



### SW-2210-NAF

(AUT007L)

Automatic pattern sewing machine with sewing area 22x10 cm. Clamp in 1 or 2 parts. Direct drive servo motor. Touch screen panel. New designs can be created directly by using the panel or by using Juki software in an external computer. Includes pneumatic label turner attachment.



### SW-2516-NAF

(AUT007K)

Automatic pattern sewing machine with sewing area 25x16 cm. Clamp in 1 or 2 parts. Direct drive servo motor. Touch screen panel. New designs can be created directly by using the panel or by using Juki software in an external computer. Includes pneumatic label turner attachment.



### SW-6030NAS

(AUTO07C)

Automatic patterns sewing machine of 600x300mm sewing area. Clamp in 1 or 2 pcs., the clam can go down in 1 or 2 times, direct drive servo motor, touch screen panel, USB exit. Simple seams can be programmed with the machine's panel.



### **SW-204SH-1306**

(A0007D)

Automatic pattern sewing machine of 130x60mm sewing area. Equipped with Barrel shuttle for sewing extra-heavy materials with thick threads. Without thread trimmer.



### **SW-204SH-CORD**

(A0007E)

Automatic pattern sewing machine of 120x20mm sewing area. Designed for making zig zag seams in sail cords. Equipped with Barrel shuttle for sewing extra-heavy materials with thick threads. Without thread trimmer.



### **SW-204SH-5020**

(A0007E)

Automatic pattern sewing machine of 500x200 mm sewing area. Equipped with Barrel shuttle for sewing extra-heavy materials with thick threads. Without thread trimmer



### **SW-101-L**

**(A7460C)**

Industrial blindstitch machine for thin fabrics.

### **SW-101-M**

**(A7460A)**

Industrial blindstitch machine for medium fabrics.



### **SW-101-H**

**(A7460J)**

Industrial blindstitch machine for heavy fabrics.

### **SW-101-7**

**(AE097)**

Industrial sewing machine with thread trimmer and automatic presser foot lifter. MA-4 servo motor.



### **SW-364**

**(A7460K)**

Industrial blindstitch machine with top differential feed transport.

Industrial blindstitch machine with top differential feed transport equipped with thread trimmer, tension opener and automatic presser foot lifter. MA-4 servo motor.





### **SW-1012**

**(A7443)**

Top feed blindstitch sewing machine for making classic pant belt loops. Equipped with front knives to cut the fabric before sewing and binder of 10mm finished belt loop.



### **SW-370**

**(A7460N)**

Top feed blindstitch sewing machine for making classic pant belt loops equipped with ironing belt loop attachment.

(B2003) Boiler and steam installation



### **SW-1190-M**

**(A7460D)**

Double face tucking blindstitch sewing machine. Felling the both inner faces of materials with 2 independent plungers, the seams are invisible on both surfaces of materials.

### **SW-1190L**

**(A7460E)**


Double face tucking blindstitch sewing machine. Felling the both inner faces of materials with 2 independent plungers, the seams are invisible on both surfaces of materials.



### **SW-805R**

**(A7460F)**

Blindstitch for stitching trouser's waist band.






### SW-141-PS

(A7460i)


Blindstitch stitch sewing machines for making reinforcement stitch on glued neoprene diving suits. Equipped with puller device.



### SW-808

(A7460H)

Blindstitch sewing machine for backs of jackets.



### SW-500

(A7434A)

Semi industrial blindstitch sewing machines for medium fabrics. Mini motor attached.



### SW-512

(A7434B)

Semi industrial blindstitch sewing machines for thin fabrics. Mini motor attached.



### **SW-300A**

**(A7461)**

Single needle 1 thread portable bag closer sewing machine.

### **SW-600AC**

**(A7461C)**

Single needle 1 thread portable bag closer sewing machine for binding (entering size of tape: 70mm).

### **SW-602A**

**(A7461E)**

Single needle 2 threads portable bag closer sewing machine.



### **SW-900A**

**(A7461B)**

Industrial bag closer machine to be installed in a column.

### **SW-900AC**

**(A7461D)**

Industrial bag closer machine to be installed in a column for binding (entering size of tape: 70mm).



High speed direct drive overlock machine. Servo motor included inside the head of machine, needle positioning function and adjustable speed (max. 6500 spm).

Subclasses available:

### **SWD-732M-(0x5)**

1 needle 3 threads.

### **SWD-732M-(B)**

1 needle 3 threads for fine edging, metal feed dog.

### **SWD-742M-(2x4)**

**(A7732)**

2 needles 4 threads.

### **SWD-752M-(3x4)**

2 needles 5 threads.

### **SWD-752M-(5x5)**

2 needles 5 threads.



## **Economical machines (4500 s.p.m)**

### **SW-733S-03 (0x5)**

**(A7729)**

Single needle 3 threads overlock machine. Speed 4500 RPM

### **SW-733S-03 (B)**

Single needle 3 threads overlock machine for fine edging, metal feed dogs. Speed 4500 RPM.

### **SW-734S-04 (2x4)**

**(A7730)**

Two needles 4 threads overlock machine. Speed 4250 RPM.

### **SW-735S-05 (3x4)**

**(A7731A)**

Two needles 5 threads overlock machine (3x4). Speed 4000 RPM.

### **SW-735S-05 (5x5)**

**(A7731B)**

Two needles 5 threads overlock machine (5x5). Speed 4000 RPM.



### **SW-3304-OF6-50H**

(A7657)

Single needle 3 threads overlock machine. Speed 7500RPM.

### **SW-3304-OF6-50H(B)**

(A7657A)

Single needle 3 threads overlock machine for fine edging (metal feed dogs). Speed 7500RPM.

### **SW-3304-OF6-50H(X)**

(A7657B)

Single needle 3 threads overlock machine for fine edging (metal feed dogs). Speed 7500RPM.



### **SW-3304-OF6-50H(2)**

(0SW0002)

Single needle 3 threads overlock machine with backlatching attachment and tension opener.



### **SW-3314-BE6-40H(2)**

(0SW0001)

Single needle 3 threads overlock machine with backlatching attachment and tension opener.

(A7551L)(A7575)(65019)(65019A)

Option: Servo motor+presser foot lifter for machines with backlatching attachment.



### **SW-3304-OF6-50H(C)**

(PUL0071)(A7657C)

Single needle 3 threads overlock machine special for sewing tubular closed spaghetti for women swimming suits.





### **SW-3304E-OF6-50H(8)** (PUL0087)

Single needle 3 threads overlock machine with mechanical elastic tape feeder.



### **SW-3314E-BE6-40H(8)** (PUL0087)

Two needles 4 threads overlock machine with mechanical elastic tape feeder.

### **SW-3304E-OF6-50H/MCA-18K-38**

Single needle 3 threads overlock machine with electronic elastic tape feeding by stepping motor, automatic elastic tape cutter, pneumatic presser foot lifter, pneumatic tension opener and pneumatic chainstitch cutter.



### **SW-3314E-BE6-40H** (A7658)

Two needles 4 threads overlock machine. Speed 7000 RPM.



### **SW-3316E-DE6-40H** (A7659)

Two needles 5 threads overlock machine (3x4). Speed 6500RPM.

### **SW-3316E-FF6-40H** (A7659A)

Two needles 5 threads overlock machine (5x5). Speed 6500RPM.



### **SW-3314-OB6-40H(3)**

**(A7658B)**

Two needles 4 threads double chainstitch overlock machine for binding inside pocket of classic pants.

### **SW-3316E-BE6-40H(4)**

**(OSW0005)**

Two needles 4 threads overlock machine with ruffler attachment.

### **SW-3316E-DE6-40H(4)**


**(OSW0003)**

Two needles 5 threads (3x5) overlock machine with ruffler attachment.

### **SW-3316E-FF6-60H**

**(A7659B)**

Two needles 5 threads (5x5) overlock machine for jeans. Speed 6000 RPM. Angle knife.



## **PNEUMATIC CHAINSTITCH CUTTERS**

### **(CC0J001)**

Vertical for SW-3304 and SW-3314

### **(CC0J002)**

Horizontal for SW-3316

### **(KIN0017)**

Pneumatic parts for chainstitch cutter

### **(OSW004)**

Invisible seam guide for SW-3304





### **SH-7003-053-H04**

**(A7752A)**

1 needle 3 threads overlock machine. 7.500 s.p.m.



### **SH-70B3-053-H04(B)**

1 needle 3 threads overlock machine. 7.500 s.p.m. fine edge, metal feed dog.

### **SH-70X3-053-H04(X)**

1 needle 3 threads overlock machine. 7.500 r.p.m. fine edge, rubber feed dog.



### **SH-7023-032-M04**

**(KIN0023)(A7752A)**

1 needle 3 threads overlock machine. 7.500 s.p.m. With manual backlatching attachment and thread tension opener.

### **SH-7024-032-M04**

**(KIN003)(A7753)**

2 needles 4 threads overlock machine. 7.000 s.p.m. With manual backlatching attachment and thread tension opener.

**(A77551L) (A7752A)(65019)(65019A)**

Option: Assembled with servo motor and presser foot lifter.



### **SH-7005-C32-M16**

**(A7754)**

2 needles 5 threads overlock machine 6.500 s.p.m. (3x3).

### **SH-7005-C52-M16**

**(A7754A)**

2 needles 5 threads overlock machine 6.500 s.p.m. (3x5).





### **SH-7005-D53-L16**

**(A7755)**

2 needles 5 threads overlock machine 6.500 s.p.m. (5x5).



### **SHG7005-D53-H16**

**(A7756)**

2 needles 5 threads overlock machine 6.500 s.p.m. (5x5).



### **SHF-7004-A43-M14**

**(A7726A)**

Two needles 4 threads top feed overlock machine. Speed 5500 RPM.

### **SHF-7005-D53-H16**

**(A7750)**

Two needles 5 threads (5x5) top feed overlock machine. Speed 5000 RPM.

### **SHJ-7005-D53-H16**

**(A7775)**


Two needles 5 threads (5x7) top feed overlock machine for extra heavy materials like jeans or quilt. Speed 5000 RPM.



### **SHR-7005-D53-H16**

**(A77755A)**

Two needles 5 threads (5x7) top feed overlock machine for attaching cord and tape for binding quilt. Speed 5000 RPM.



### **SW-8095-2205XL/516/PC/FL**

**(A7756B)**

Two needles 5 threads overlock machine with upper transport by two continuous belts for sewing mattress heavy quilts. Distance between needles: 20mm, overedge width 5mm. Equipped with i90 servo motor, submerged table and pneumatic presser foot lifter.

(A7756B) Complete gauge 20+5 mm

(A7756C) Complete gauge 7+5 mm



## Overlock machines



### UH-9004-243-M14

(A7753D)

High speed (7500 spm) 2 needles 4 threads overlock machine.

### UH-9005-353-M16

(A7799D)

High speed (6500 rpm) 2 needles 5 threads overlock machine (3x5).

### UH-9005-553-L16

(A7799D)

High speed (6500 rpm) 2 needles 5 threads overlock machine (5x5).

## Direct drive overlock machines



### UHD-9004-243-M14

(A7753D)

Direct drive (Ho Hsing servo motor) high speed (7500 spm) 2 needles 4 threads overlock machine. Needle positioning function.

### UHD-9005-353-M16

(A7754C)

Direct drive (Ho Hsing servo motor) high speed (6500 rpm) 2 needles 5 threads overlock machine (3x5). Needle positioning function.

### UHD-9005-355-L16


(A7754B)

Direct drive (Ho Hsing servo motor) high speed (6500 rpm) 2 needles 5 threads overlock machine (5x5). Needle positioning function.

### UHD-9004-243-M14/SS033/CV-08F

(A7753D)

Direct drive (Ho Hsing servo motor) high speed (7500 spm) 2 needles 4 threads overlock machine. Equipped with pneumatic presser foot lifter, pneumatic chainstitch cutter and waste device.



## Special overlock machines



### **UH-93A3-053-M04/SS034/CV-28B/ MCA18K-38** (A7752D)

High speed (8000rpm) small cylinder bed overlock machine with small cylinder bed, equipped with electronic elastic tape feeder by stepping motor. Elastic tape cutter controlled from panel. Automatic tension opener and pneumatic presser foot lifter. Automatic elastic tape feeding.



### **UH-9034-D03-M45/TC-1** (A7752D)

Direct drive (Ho Hsing servo motor) high speed overlock machine (7500 spm), 2 needles 4 threads double chainstitch for binding pockets. Includes electric tape cutter.

## Top feed overlock machines



### **UHF-9004-243-M14** (A7726C)

Top feed high speed (6500 spm) overlock machine, 2 needles 4 threads.

### **UHF-9015-553-X16/AG041/US041** (A7775B)

Top feed high speed (6000 spm) overlock machine, 2 needles 5 threads (5x5) with pneumatic plain chainstitch cutter.



### **UHF-9304-243-M14**

Small cylinder bed top feed speed (6500 rpm) overlock machine, 2 needles 4 threads.



### **UHF-9034-D03-M45**

Top feed two needles double chainstitch overlock machine for tape binding. Distance between needles 5mm, entering tape size: 25.4mm.

## Direct drive top feed overlock machines



### **UHU-9004-243-M14**

Direct drive (Ho Hsing servo motor) top feed high speed (6500 spm) overlock machine.



### **UHU-9105-553-X16/AG041/US041**

Direct drive (Ho Hsing servo motor) top feed high speed (6000 spm) overlock machine, 2 needles 5 threads (5x5) with pneumatic plain chainstitch cutter.

### **UHU-9304-243-M14**

Direct drive (Ho Hsing servo motor) small cylinder bed top feed (6500 rpm) overlock machine, 2 needles 4 threads.

## Flat bed interlock machine



### **FT-7000-0-356M**

**(A7765A)**

Flat bed top and bottom cover interlock machine, 3 needles.



### **FTD-7000-0-356M/UFB-1B**

**(A7765E)**

Direct drive (Ho Hsing servo motor) flat bed top and bottom cover interlock machine, 3 needles. Equipped with automatic pneumatic upper and lower threads thread trimmer and presser foot lifter.

## Flat bed interlock machines



### **FT-7003-0-356M**

(A7766)

Flat bed 3 needles top and bottom covering threads interlock machine for binging.

### **FT-7003-0-356M/TC-1 (A7766+KIR0001)**

Flat bed 3 needles top and bottom covering threads interlock machine for binging equipped with pneumatic one touch rear tape cutter.



### **FT-7069-0-356M**

(A7794B)

Flat bed interlock machine for attaching elastic tape in women underwear. Equipped with side fabric cutting device. Upper elastic feeding.

### **FT-7069-2-356M/TC-1/MC-S6C**

(A7794C)

Flat bed interlock machine for attaching elastic tape in women underwear. Equipped with side fabric cutting device. Upper electronic elastic feeding and rear pneumatic tape cutter.

## Special flat bed machines



### **FT-7002-0-264M/TB**

(A7789)

Flat bed 2 needles (gauge 6,4 mm) double chainstitch sewing machine for tape cover seamings.

### **FT-7010-0-88M**

(A7791)

Flat bed 3 needles double chainstitch machine for pocket sewing. Upper cover thread only.

Option: KI+CV: Flat pneumatic suction thread cutter for FT-7010-0-88M machine.





### **CT-9000-0-356M**

**(A7763A)**

Cylinder bed interlock machine with top and bottom covering threads, 3 needles.



### **CT-9000-0-356M/UCP-1B**

**(A7759A)**

Direct drive (Ho Hsing servo motor) cylinder bed interlock machine with top and bottom covering threads, 3 needles. Equipped with automatic pneumatic upper and lower threads trimmers and presser foot lifter. Outside take-up lever.

### **CTD-9000-0-356M/UCP-1B/RP**

**(A7759E)**

Direct drive (Ho Hsing servo motor) cylinder bed interlock machine with top and bottom covering threads, 3 needles. Equipped with automatic pneumatic upper and lower threads trimmers and presser foot lifter and rear puller. Outside take-up lever.



### **CTF-9000-0-356M/UCP-1B**

**(A7759E)**

Top feed transport direct drive cylinder bed interlock machine with top and bottom covering threads, 3 needles. Equipped with automatic pneumatic upper and lower threads trimmers and presser foot lifter and rear puller. Outside take-up lever.



### **CTD-9311-0-356M/UCP-1B**

**(A7784)**

Direct drive (Ho Hsing servo motor) cylinder bed interlock machine with side fabric cutter to make bottom of T-shirts with top and bottom covering threads, 3 needles. Equipped with automatic pneumatic upper and lower threads trimmers and presser foot lifter and suction waste device. Outside take-up lever.



### **CTF-9311-0-356M/UCP-1B**

**(A7784B)**

Top feed transport cylinder bed interlock machine with side fabric cutter to make bottom of T-shirts with top and bottom covering threads, 3 needles. Equipped with automatic pneumatic upper and lower threads trimmers and presser foot lifter and suction waste device. Outside take-up lever.

## Cylinder bed interlock machine



### **CTD-9611-0-356M/UCP-1B** (A7785)

Small cylinder bed interlock machine with top and bottom covering threads, 3 needles. Equipped with automatic pneumatic upper and lower threads trimmers and presser foot lifter. Outside take-up lever.

### **CTF-9611-0-356M/UCP-1B**

Top feed transport small cylinder bed interlock machine with top and bottom covering threads, 3 needles. Equipped with automatic pneumatic upper and lower threads trimmers and presser foot lifter. Outside take-up lever.



### **CTD-9085-0-356M/UCP-B1/CV-014M/TC-01SS** (A7759F)

Direct drive (Ho Hsing servo motor) cylinder bed interlock machine with top and bottom covering threads for attaching closed elastic in men's underwear boxers, 3 needles. Equipped with automatic pneumatic upper and lower threads trimmers and presser foot lifter, rear puller, right hand cutting system for remaining fabric, waste collector and elastic tension rollers. Outside take-up lever.

## Flat lock sewing machines



### **SWD-67-12M6/TT-S34/CV-014/TC-13/S4** (A7799B)

Direct drive (Ho Hsing servo motor) flat-lock sewing machine with upper and lower covering threads, cutting both sides remaining fabrics. Equipped with pneumatic presser foot lifter, waste collector device, automatic guillotine chainstitch cutter driven by photocell located under the needle plate.



### **SWD-67-03-BH5/TT-S36/CV/TC-013S** (A7799B)

Direct drive (Ho Hsing servo motor) flat-lock sewing machine with upper and lower covering threads, cutting both sides remaining fabrics. Equipped with refocement tape feeder, pneumatic presser foot lifter and guillotine tape cutter.

## Chainstitch machines



### **MT-4512P** (A7795)

12 needles double chainstitch sewing machines with rear puller.



### **SWD-562-01CBX356/364 (A7761G)(A7661F)**

New interlock machine with direct drive servo motor. Includes control box and main switch inside the sewing machine's head. Speed 6000 RPM. Upper and lower covering threads.

(A7761F) COMPLETE 3 needles 5.6 gauge

(A7761G) COMPLETE 3 needles 6.4 gauge

\*Mini servo motor

\*Control box

\*Main switch

ALL 3 INSIDE THE HEAD!!!




### **SW-562-01CBx356/364**

Three needles 5 threads high speed (6000 RPM) interlock machine with upper and lower covering threads.

(A7661) HEAD gauge 356


(A7661A) HEAD gauge 364



### **SW-562-06CBX464**

**(A7669)**

Four needles 6 threads high speed (6000 RPM) interlock machine with upper and lower covering threads.



### **SW-562-04CBX294**

**(A7669A)**

Two needles double chainstitch sewing machine with differential feed for inserting reinforcement in knittings. Includes binder.



## Interlock machines with thread trimmer



### **SW-562-01CB-UT**

(A7663)

Flat bed 3 needles interlock machines with upper and lower covering threads equipped with thread trimmer, automatic presser foot lifter. i90 servo motor. Speed 6000RPM.

#### **UTP-1-(356) (A7663)**

Pneumatic upper and lower thread trimmers and presser foot lifter.

#### **UTE-1-(356) (A7667)**

Electric upper and lower thread trimmers and presser foot lifter.

#### **UTE-1-(364) (A7661C)**

Electric upper and lower thread trimmers and presser foot lifter.

#### **UTE-2-(364) (A7661B)**

Electric thread trimmer, wipper and presser foot lifter.

## Tape binding interlock machines



### **SW-562-02CBx356**

(A7662)

Three needles 5 threads high speed (6000 RPM) interlock machine with upper and lower covering threads for tape binding.

(PG0001)TKA Pneumatic tape cutter



### **SWT-562-02CBX356**

(A7663A)

Top feed three needles 5 threads high speed (6000 RPM) interlock machine with upper and lower covering threads for tape binding







### **SW-562-05CBx356**

**(A7663A)**

Three needles interlock sewing machine with right hand side fabric remaining cutting device and mechanical elastic tape metering device.



### **SW-562-1-05CBx356 /MC-S6C**

**(A7663A)**

Three needles interlock sewing machine with right hand side fabric remaining cutting device and electronic elastic tape metering device (6 different kind of elastic tensions).

(PG0002) TKA Pneumatic tape cutter.



### **SW-562-025CBx356**

**(A0000)**

3 needles interlock sewing machine with right side knife for cutting remaining fabric for binding with elastic tape. For "tanga" underwear.

## Cylinder bed interlock machines



### **SW-664-01CBX356/364**

**(A7664)**

Three needles cylinder bed interlock sewing machine with upper and lower covering threads. Speed 6000 RPM.



### **SW-664-01CB-UT**

Three needles cylinder bed interlock sewing machine with upper and lower covering threads. Speed 6000 RPM. Equipped with automatic thread trimmers and presser foot lifter.

#### **UTP-1-(356) (A7665)**

Pneumatic upper and lower thread trimmers and presser foot lifter.

#### **UTE-1-(356) (A7668)**

Electric upper and lower thread trimmers and presser foot lifter.

#### **UTE-1-(364) (A7665B)**

Electric upper and lower thread trimmers and presser foot lifter.

#### **UTE-2 (364) (A7661B)**

Electric upper thread trimmer, wiper and presser foot lifter.

## Cylinder bed interlock machines with side



### **SW-664-35CBx356/UTP-1**

3 needles interlock sewing machine with upper and lower covering threads with hemming folder and left side trimmer and fabric and fabrics chips suction pipe. Equipped with pneumatic upper and lower thread trimmer and presser foot lifter.



### SW-1404P

(A7642)

4 needles double chainstitch sewing machines with rear puller.

(A7648C) 3/4"  
(A7648B) 1"  
(A7642) 1-1/8"  
(A7649) 1-1/4"  
(A7648D) 1-1/2"




### SW-1404PMD

(A7636)

4 needles double chainstitch sewing machines with rear puller and front elastic metering device.

(A7636B) 1"

(A7636) 1-1/4"  
(A7636C) 1-1/2"



### SW-1412P

(A7637)

12 needles double chainstitch sewing machines with rear puller.



### SW-40404P

(A7637)

Cylinder bed 4 needles double chainstitch sewing machines with rear puller.







### SW-40404P/UTP

Cylinder bed 4 needles double chainstitch sewing machines with rear puller. Equipped with pneumatic thread trimmers and presser foot lifter.




### SW-40412P

Cylinder bed 12 needles double chainstitch sewing machines with rear puller.


### SW-40412P/UTP

Cylinder bed 12 needles double chainstitch sewing machines with rear puller. Equipped with pneumatic thread trimmers and presser foot lifter.



### SW-10701 EHD

1 or 2 needles double chainstitch sewing machine for sewing heavy materials like carton or plastic bags.





## Multineedle chainstitch



### SW-10425P

(A7637F)

25 needles 50 threads double chainstitch sewing machines with rear puller. Gauge 1/4". Total distance 15.24cm.

### SW-10433P

(A7637C)

33 needles 66 threads double chainstitch sewing machines with rear puller. Gauge 1/4". Total distance 15.24cm.

## Multineedle chainstitch




### SW-10412P-ET

12 needles, 12 threads in needles and 12 elastic threads in loopers chainstitch sewing machine with rear puller. Available in gauge 1/4".



### SW-10425P-ET

25 needles, 25 threads in needles and 25 elastic threads in loopers chainstitch sewing machine with rear puller. Available in gauge 1/4".



## Multineedle chainstitch



### **SW-10433P-ET**

33 needles, 33 threads in needles and 33 elastic threads in loopers chainstitch sewing machine with rear puller. Available in gauge 3/16".



### **SW-10450P-ET**

50 needles, 50 threads in needles and 50 elastic threads in loopers chainstitch sewing machine with rear puller. Available in gauge 3/16".



## Multineedle chainstitch



### **SW-10412PSM-ET**

12 needles, 12 threads in needles and 12 elastic threads in loopers chainstitch sewing machine with rear puller. Available in gauge 1/4"(A7639P) and 3/16" (A7639). Equipped with decorative threads smoking device.



### **SW-10425PSM-ET**

25 needles, 25 threads in needles and 25 elastic threads in loopers chainstitch sewing machine with rear puller. Available in gauge 1/4". Equipped with decorative threads smoking device.



## Multineedle chainstitch



### SW-10433PSM-ET

(A7637G)

33 needles, 33 threads in needles and 33 elastic threads in loopers chainstitch sewing machine with rear puller. Available in gauge 3/16". Equipped with decorative threads smoking device.



### SW-10450PSM-ET

50 needles, 50 threads in needles and 50 elastic threads in loopers chainstitch sewing machine with rear puller. Available in gauge 3/16". Equipped with decorative threads smoking device.



## Multineedle chainstitch



### SW-10012P

12 needles single chainstitch sewing machine, elastic thread in the needles and blind loopers. Equipped with rear puller device. Available in gauge 1/4" (A7637H) and 3/16" (A7637J).



### SW-10025P

(A7637F)

25 needles single chainstitch sewing machine, elastic thread in the needles and blind loopers. Equipped with rear puller device. Available in gauge 1/4".





## Multineedle chainstitch



### SW-10033P

(A7637C)

33 needles simple chainstitch sewing machine, elastic thread in the needles and blind loopers. Equipped with rear puller device. Available in gauge 3/16".



### SW-10050P

50 needles simple chainstitch sewing machine, elastic thread in the needles and blind loopers. Equipped with rear puller device. Available in gauge 3/16".



## Multineedle chainstitch



### SW-10012PSM

(A7637Q)

12 needles simple chainstitch sewing machine, elastic thread in the needles and blind loopers. Equipped with rear puller device and decorative threads smocking device. Available in gauge 1/4" (A7637Q) and 3/16" (A7637O).



### SW-10025PSM

(A7637i)

25 needles simple chainstitch sewing machine, elastic thread in the needles and blind loopers. Equipped with rear puller device and decorative threads smocking device. Available in gauge 1/4".





## Multineedle chainstitch



### SW-10033PSM

(A7637D)

12 needles simple chainstitch sewing machine, elastic thread in the needles and blind loopers. Equipped with rear puller device and decorative threads smocking device. Available in gauge 3/16".




### SW-10050PSM

50 needles simple chainstitch sewing machine, elastic thread in the needles and blind loopers. Equipped with rear puller device and decorative threads smocking device. Available in gauge 3/16".



## Multineedle chainstitch



### SW-10412PQ

(A7637A)

12 needles chainstitch machine with 12 threads in needles and loopers and 12 elastic threads under the double chainstitch. Equipped with rear puller device and front metering device for sewing 12 elastic threads with tension. Gauge 1/4" (A7637A) and 3/16" (A7637B).



### SW-10425PQ

(A7637M)

25 needles chainstitch machine with 25 threads in needles and loopers and 25 elastic threads under the double chainstitch. Equipped with rear puller device and front metering device for sewing 25 elastic threads with tension. Gauge 1/4" (A7637A) and 3/16" (A7637B).





### SW-10433PQ

(A7637N)

33 needles chainstitch machine with 33 threads in needles and loopers and 33 elastic threads under the double chainstitch. Equipped with rear puller device and front metering device for sewing 33 elastic threads with tension. Gauge 3/16".



### SW-10412PTV

(A7639)

12 needles double chainstitch sewing machine for making pin tucks decorative pleats. Equipped with complete binder set with several sizes of tucks 2-5-8-11-13.5mm. Available in gauges 3/16" (023232) and 1/4" (23232A).

(27232A) 1/4"  
(27232) 3/16"



### SW-10425PTV

25 needles double chainstitch sewing machine for making pin tucks decorative pleats. Equipped with complete binder set with several sizes of tucks 2-5-8-11-13.5mm. Available in gauge 1/4".

### SW-10433PTV

33 needles double chainstitch sewing machine for making pin tucks decorative pleats. Equipped with complete binder set with several sizes of tucks 2-5-8-11-13.5mm. Available in gauge 3/16".







### SW-10412PMR

(A7637V)

12 needles double chainstitch sewing machine with 14 different kinds of pleats (14 sets of cams). Equipped with rear puller device.

01		
02		
03		
04		
05		
06		
07		
08		
09		
10		
11		
12		
13		
14		



## Zig zag chainstitch machine



### SW-302-4W

(A7635)


2 needles double chainstitch zig zag (3 stitches 4 points) sewing machine for picot and fagotting decorative stitches.



### SW-302-5W

(A7635A)

2 needles double chainstitch zig zag (4 stitches 5 points) sewing machine for picot and fagotting decorative stitches. Picot & Fagotting.



### SW-1702PMD

(A7635B)

2 needles bottom covering thread interlock sewing machine with front elastic tape metering device and rear puller.



## Zig zag chainstitch machine



### SW-10301-2F

1 needle zig zag (1 stitch 2 points) double chainstitch sewing machine for tape binding swimming suits.



## Chainstitch machines for decorative flower type stitches



### SW-10301-4-3F

1 needle zig zag (3 stitch 4 points) double chainstitch sewing machine for making decorative flower type stitches. Equipped with 3 kinds of cams.



## Multineedle chainstitch machine for jeans



### SW-1508P

(A7639)

4 needles double chainstitch sewing machine for jeans waist band. Rear metal tooth puller. Gauge 1/4"-1"-1/4".







### **SW-1508PR**

**(A7639A)**

4 needles double chainstitch sewing machine for jeans waist band. Rear metal tooth puller double compensated. Gauge 1/4"-1"-1/4".



### **SW-1503PTF**

**(A7638)**

3 needles double chainstitch sewing machine for lap seaming. Gauge 1/4".



### **SW-B2000C**

**(A7104A)**

2 needles lower covering thread for making jeans belt loops. Gauge 1/4".



### **BK-20**

**(A7105)**

Belt loop electric cutting device with cutting length adjustable from 50mm to 150mm.

## Abutted seam machines



### SW-306

(A7903)(A9009)(BBA063)


1 needle 2 threads abutted seam sewing machine with overlapping fabrics finishing.



### SW-306A

(A7903C)

1 needle 2 threads abutted seam sewing machine with no overlapping fabrics finishing.



\* both machines can be transformed from 2 threads to 1 thread.

## Carpet overedge machines



### SW-2503


(A7451A)

1 needle 3 threads decorative carpets and rugs finishing sewing machine. For thick carpets and rugs.

### SW-2503-K

(A7451A)

1 needle 3 threads decorative carpets and rugs finishing sewing machine with side cutter remaining attachment. For thick carpets and rugs.



## SW-MG3U

(A7486)


Single needle 3 threads overlock machine for binding logotypes or emblems already embroidered on fabrics after have been cutted.



## SW-38

(A7452)

Single needle 2 threads shell -shape stitch edging overlock machine. Groups of 1, 4 or 8 stitches per shall-shape. For blankets finishing. Stitch width: 8-10mm.



## SW-27

(A7452B)

Single needle 2 threads shell -shape stitch edging overlock machine. Groups of 1, 4 or 8 stitches per shall-shape. For blankets finishing. Stitch width: 7-8mm.



## SW-17

(A7452A)

Single needle 2 threads shell -shape stitch edging overlock machine. Groups of 3 or 6 stitches per shall-shape. For cotton, lycra thin knittings. Stitch width: 4-5mm.

## SW-18SF

(A7452C)

Single needle 1 thread shell -shape stitch edging overlock machine. Groups of 1 stitch per sell-shape. For blankets finishing. Stitch width: 8-10mm.



## Hand stitch imitation machines

### SW-781-7

(AUT0042)

Hand stitch imitation sewing machine. Equipped with Efka mini servo motor and mechanical thread trimmer attachment installed in the presser feet. Switch functions: inverted stitching, stitch by stitch and cutting off compressed air supply in order to adjust the stitch length. Works with 90cm. of thread length. Thread thickness until no.10.



## Decoratives stitches machines

### SW-VNK

(A7480)


Two needles lockstitch picotting stitch sewing machine with 2 rotary horizontal hooks and front piecer and puncher.

OPTIONAL: real puller (PUL0079)



(V NK0021A)

No.5 gauge








### **SW-200-040M**

**(A7485A)**

Chainstitch hand stitch imitation sewing machine. Supplied with gauge no.4 assembled, gauges no.2, 3 and 5 supplied in the accessory box.



### **SW-2225**

**(A74838)**

Parallel chainstitch hand stitch imitation sewing machine.



### **SW-2227**

**(A7483)**

Diagonal chainstitch hand stitch imitation sewing machine.





### CHK-9000


(AUTO0040)

Automatic long seams of pants laterals. Head Yamato 1 needle 2 threads double chainstitch. Upper and lower transport can be programmed. Includes chainstitch cutter and puller and automatic stacker unit. The head can work at 2 needles 5 threads.



### BASS-3200

Automatic pocket welting sewing machines. 2 needles split needle bar machine for inclined pockets. Ceramical fabric cutting knives, Length of pocket: from 40 to 200mm.



### U-9707-D/1416

(AUTO034)

Automatic knitting pockets creasing and sewing machine of T-shirts and polo shirts.

## Overlock machine for wool knitting



### **SW-255**

**(A7481A)**

Single needle double chainstitch overlock machines with double roller transport for wool outside knittings.

## Automatic pearl sewing machine



### **GREAT-P**

**(AUTO004)**

Automatic round pearl sewing machine with automatic pearl feeding.

## Thread cone winder



### **SW-200**

**(AT008)**

2 cones thread winder machine.



### **SW-400**

**(AT006)**

4 cones thread winder machine.



### **SW-100B**

**(AT007)**

Bobbin winder machine with full end bobbin sensor.

## Embroidery machine



### **MB-4**

**(SMQ0004)**

4 threads semi industrial embroidery machine equipped with automatic thread trimmer. Compact light and portable machine. Direct connection to PC, USB port, compatible with ATA cards. Includes 3 frames: M1 (240x200 mm.), M2 (126x110 mm.) and M3 (50x50). Compatible with Tajima frames. Net weight 20,5 kgs.





### **COMPACTA**

**(B2001)**

2 liters capacity boiler steam generator. Equipped with industrial hand iron and silicone base for hand iron. Boiler heater: 900 watts.

(B2002) Table with wheels for compacta



### **PRATIKA**

**(B2003)**

5 liters capacity boiler steam generator. Equipped with industrial hand iron, silicone base for hand iron and glass level to check the level of remaining water inside the boiler. Boiler heater: 1600 watts.

(B2004) Table with wheels for pratika



### **Pratika completa**

**(B2A03)**

5 liters capacity boiler steam generator. Equipped with industrial hand iron, silicone base for hand iron and tank with water that allow continuous steam supply without need to stop ironing because the boiler always can get water from the lower tank. Boiler heater: 1600 watts.

## Universal semi industrial ironing tables



### COMELUX-A

(B2006)

Folding ironing table with fan for steam suction, heated ironing surface. Without hand iron.

### COMELUX-A-S

(B2006S)

Folding ironing table with fan for steam suction and blowing functions, heated ironing surface. Without hand iron.

### COMELUX-C

(B2007)

Folding ironing table with fan for steam suction function, heated ironing surface with 2 liters capacity boiler and hand iron.

### COMELUX-C-S

(B2007S)

Folding ironing table with fan for steam suction and blowing functions, heated ironing surface with 2 liters capacity boiler and hand iron

### COMELUX-C5

(B2008)

Folding ironing table with fan for steam suction function, heated ironing surface with 2 liters capacity boiler and hand iron.

### COMELUX-C5-S

(B2008S)

Folding ironing table with fan for steam suction and blowing functions, heated ironing surface with 2 liters capacity boiler and hand iron.

Arm with holder for Comelux ironing tables.

## Rectangular semi industrial ironing tables



### FUTURA R-A

(B2012)

Rectangular steam ironing table with fan for steam suction, heated ironing surface. Without hand iron. Ironing board sizes: 112x62cm.


### FUTURA R-C5

(B2014)

Rectangular steam ironing table with fan for steam suction, heated ironing surface with 5 liters capacity boiler and hand iron. Ironing board sizes: 112x62cm.

ARM

Arm with holder for Futura-R ironing tables.



### **BR/A/SXD**

**(B2032D)**

Universal industrial ironing table with fan for steam suction function. Heated board surface. 3 different height position adjustable table. The suction fan pedal and the arm (not included) can be installed in both right and left sides of the table; the table can be used by right handed and left handed. Board sizes: 120x35x-25cm.



### **BR/A**

**(B2032)**

Universal industrial ironing table with fan for steam suction function. Heated board surface. Board sizes: 120x35x25cm.

### **BR/A + ASP**

**(B2032C)**

Universal industrial ironing table with fan for steam suction function with 0.75 HP 380V motor. Heated board surface. Board sizes: 120x35x25cm.

## Industrial universal ironing tables with suction and blowing fan



### **BR/A-S**

**(B2041)**

Industrial universal ironing table with fan for steam suction and blowing functions, heated ironing surface. Prepared to install 1 arm.

### **BR/A/SR**

**(B2042A)**

Industrial universal ironing table with fan for steam suction and blowing functions, heated ironing surface with 0.80 HP 220V motor. Prepared to install 2 arms.

### **BR/A/SR**

**(B2042B)**

Industrial universal ironing table with fan for steam suction and blowing functions, heated ironing surface with 0.80 HP 220V motor. Complete with 1 set standard arm, 1 set cushion type arm, lamp and iron air holders.

## Board for pants seams opening

### BR/A/AC

(B2A32)

Industrial ironing table with fan for steam suction function special for opening seams in pants, heated ironing surface.



## Industrial steam generators

### FB/F-3R

(B2D16)

Industrial steam generator for 2 hand irons equipped with 2 electrovalves, 3 heaters of 2000 watts; the generator can work at 4000 watts or 6000 watts. Water boiler supply electric pump. Hand irons not included.



### FB/F-3E

(B2D16)

Industrial steam generator for 2 hand irons equipped with 3 electrovalves, 3 heaters of 2000 watts; the generator can work at 4000 watts or 6000 watts. Water boiler supply electric pump. Hand irons not included.

### FB/FL-25

(B2C16)

Industrial steam generator with 18.000 watts or 24.000 watts power. Can supply steam to 7-8 ironing boards. Equipped with double pressure valves for bigger security. The boiler can work at 100% or 50% of the total heaters power.



(B2G16) With 24.000 watts heaters power  
(BBA280) Deposit for condensed water  
(B2C16) With 18.000 watts heaters power

### IRON FOR ADHESIVE PAPER FOR CUTTING

(B2058)

Iron for fixing thermoadhesive paper for cutting.





### FR/F-2E

(B2B21)

Universal ironing table with fan for steam suction function, 4000 watts boiler, automatic heater supply to the boiler by electric pump, 2 electrovalves, 1 hand iron.

(B2G21) Same as FR/F-2E with stainless steel boiler.

(B2H21) FR/F-2E-3R  
Same as FR/F-2E with 2 electrovalves and 6000W.



### FR/F/PV

(B2030)

Universal ironing table with fan for steam suction function, 4000 watts boiler, automatic heater supply to the boiler by electric pump, 1 electrovalves, 1 hand iron. Equipped with board with steam exits.

Lamp and air iron holders not included

### Mod. 7210

(B3103)

Universal ironing table with fan for steam suction and blowing functions, 4000 watts boiler, automatic heater supply to the boiler by electric pump, 2 electrovalves, 1 hand iron. Equipped with board with steam exits.

## Hand iron



B2017: Technopress hand iron

B2017C: Comel hand iron

B2017C1: Economic Comel hand iron

B2017G: Comel large hand iron

## Hand iron holder+lamp



### C




(BBA124) Lamp for BR and FR.

(BBA124A) Hand iron holder and tensor.

(BBA125) Horizontal bar to hold the iron.

(BBA125B) Rectangular lower iron part to install the previous attachment in MP ironing table.

## Complete arms with holder



### C

(B2024) Standard arm for BR.

(BBA097A) Standard arm for MP.

(B2024A) Standard arm for BR/A/SXD.




### C

(B2026) Cushion arm for BR.

(BBA116) Cushion arm for MP.


(B2026A) Cushion arm for BR/A/SXD.



### C

(BBA097F) Pad arm for BR.

(BBA097C) Pad arm for MP.



### LADY'S PADS

(BBA097D) For BR/A and FR/F

(BBA097B) For MP

(B2024B)

### LONG ARMS

(B2027) For BR/A and FR/F

(B2027A) For MP

### WAVY ARM

(B2027B) For BR/A and FR/F

## Spot lifter machines



**(B2056A)**

Industrial spot lifter machine with universal board with fan suction device. Equipped with 2 pneumatic guns and 2 deposits for spot lifter liquid.



### **MP/A**

**(B2044D)**

Rectangular industrial ironing table with fan for steam suction function. Heated board surface. Board sizes: 120x73cm.

### **MP/A+ASP**

**(B2044D)**

Rectangular Universal industrial ironing table with fan for steam suction function with 0.75 HP 380V motor. Heated board surface. Board sizes 120x73 cm. Inclined board..

### **MP/F**

**(B2035)**

Rectangular ironing table with fan for steam suction function, 4000 watts boiler, automatic heater supply to the boiler by electric pump, hand iron.

### **MP/F-2E-3R**

**(0B2035A)**

Rectangular ironing table with fan for steam suction function, 4000 watts boiler, automatic heater supply to the boiler by electric pump, 1 hand iron, 2 electrovalves and 6.000 watts of boiler's heater. Board sizes 120x73 cm.

### **MP/A/SR**

**(B2057)**

Rectangular universal ironing table with fan for steam suction and blowing functions, heated ironing surface with 0.80 HP 220V motor. Prepared to install 2 arms.

### **MP/A/SR**

**(B2057A)**

Same as before with two arms (normal and cushion) + aerial light + iron holder







### **MP/A+ASP(180x90)** (B2044D)

Rectangular Universal industrial ironing table with fan for steam suction function with 1 HP 380V motor. Heated board surface. Board sizes 180x90cm. Inclined board.

### **MP/A+ASP(180x90)** (B2044K)

Rectangular Universal industrial ironing table with fan for steam suction function with 1 HP 220V motor. Heated board surface. Board sizes 180x90cm. Inclined board.

### **MP/F/PV** (B2051)

Rectangular ironing table with fan for steam suction function, 18.000 watts boiler, automatic heater supply to the boiler by electric pump, 1 electrovalves, 1 hand iron. Equipped with board with steam exits.

### **MP/A/PV** (B2051A)

Same as MP/F/PV not equipped with boiler.



### **MP/F/T** (B2054A)

Rectangular ironing tables with suction fan function, 4.000 watts boiler for ironing curtains. Boiler with 4.000 watts, 380V, equipped with air hand iron holder. Needs 12.000 watts free electricity supply. Board heated electrically.

#### **(B2054)**

Board 300x75cm 1 hand iron with lamp.

#### **(B2059A)**

Board 300x75cm 2 hand irons no lamp.

#### **(B2059)**

Board 300x75cm 2 hand irons with lamp

OTHER VACUUM TABLES FOR BOILER NO IRON CURTAIN (requires 4 atmospheres of pressure STEAM GENERATOR IN AN INDEPENDENT USE):

**(B2054B)** Board 300x75cm 220V

**(B2054C)** Board 300x75cm 220V

Board 250x75cm 220V

Board 200x75cm 220V

**(B2054I)** Board 200x75cm 220V

ALL THESE TABLES INCLUDE RAIL, BUT NOT IRON HAND.



### AM-4050

(B4106)

Manual pressure transfer machine with interchangeable plates. Transfer machine for applying printings and pictures in textile fabrics. Digital temperature and time controller. interchangeable plates sizes:



(B4114B) 15x15cm

(B4114E) 25x25cm

(B4114C) Caps



### AT-4050-MG

(B4127)

Manual pressure transfer machine with side movement of the upper plate. Digital time and temperature controller. Transfer machine for applying printings and pictures in textile fabrics. Size of plates 40x50cm. Equipped with magnetic attachment that the upper plate with pressure while the machine is transferring the designs. Once the time programmed for the transfer has been finished the timer cuts the electricity of the magnet and the machine opens automatically.

Interchangeable plates:



ELETTROMAGNETE



(B4114K) 15x15cm



(B4114L) 25x25cm



(B4114M) Caps



### **AM-PANT**

(B4117)

Manual transfer machine for attaching transfer on legs of pants. Electronic control of temperature and time.



### **SH-4050**

(B4108)

Single plate pneumatic pressure transfer machine with 40x50cm dimensions plate. The plate must be pulled back to install the fabric and the transfer paper and pushed back to start the work cycle. Digital timer and temperature.



### **TH-4050**

(B4110)

Two plates pneumatic pressure transfer machine with 40x50cm dimensions plate. The plate must be pulled back to install the fabric and the transfer paper and pushed back to start the work cycle. While one plate is working the operator prepares the next work. Pneumatic side movement of plates. Digital timer and temperature.

### **TH-4050**

(B4114G)

15x15 interchangeable upper set of plates.



### SH-9065

(B4109)

Single plate pneumatic pressure transfer machine with 90x65cm dimensions plate. The plate must be pulled back to install the fabric and the sublimation paper and pushed back to start the work cycle. Digital timer and temperature.



### TH-10070-AS

(B4123)

Two plates pneumatic pressure transfer machine with 100x70cm dimensions plate. Designed for sublimation on any kind of flat material (textile, wood, ceramic, marble, metal, etc.). These presses provide high quality sublimation finished work.

(100 x 70 cm) (B4123)  
(120x90 cm) (B4123A)  
(150X100 CM) (B4123B)



## Fusing machines



### PL-T 50x40

(B4103)

Manual pressure fusing machine with working area 50x40cm. Equipped with digital control of time and temperature, 1750W, 220V.

### PL-T 90x40

(B4103)

Fusing machine with working area 90x40 cm. Digital controller of time and temperature.



### PL-T 1140P

(B4100)

Fusing machine with working area 110x40 cm. Digital controller of time and temperature.

### PL-T 1250P

(B4101)

Fusing machine with working area 125x50 cm. Digital controller of time and temperature.

(BAB001) Table for PLT machines

## Continuous belt fusing machines



### SW-300D/SW-03

(B8016)(B8006)

..(B8016)(B8006) SW-300D/SW-03

Continuous belt fusing machine. Width of belt: 300mm. Equipped with rear piping collector. Designed for fusing classic pants waistband. Includes magnetic guides, holder for roller of fabric and binder for creasing the waistband. Pressure by springs. Side opened machine. Digital control of temperature. Includes stand with 4 wheels.

### SW-500D

(B8003)

Continuous belt fusing machine. Width of belt: 500mm. Pressure by springs. Side opened machine. Digital control of temperature. Available in 220V (B8003) and 380V(B8009). Includes stand with 4 wheels.

### SW-500DH

(B8013)

Continuous belt fusing machine. Width of belt: 500mm. Pneumatic pressure. Side opened machine. Digital control of temperature. Includes stand with 4 wheels. 380V.



### Return device

(B8003A)

Colling return device for SW-500 machines.



### SW-700 MAH

(B8018)

Continuous 700mm width belt fusing machine. Closed type machine, 6.000 watts 380V., belt cleaning devices. Equipped with cooling area. Pneumatic pressure. Centering of the belt controlled by computer through compressed air pistons.



### SW-900SH

(B8015)


Continuous 900mm width belt fusing machine. Closed type machine, 6.000 watts 380V., belt cleaning devices. Equipped with cooling area. Pneumatic pressure. Centering of the belt controlled by computer through compressed air pistons.



### SW-1000SH

(B8012)


Continuous 1000mm width belt fusing machine. Closed type machine, 6.000 watts 380V., belt cleaning devices. Equipped with cooling area. Pneumatic pressure. Centering of the belt controlled by computer through compressed air pistons.



### SW-03

(B8006)

Rear piping collector.



### **SW-205**

**(B8011)**


Automatic Shirts cuffs creasing pneumatic machine.



### **SW-201**

**(B8007)**

Pneumatic machine for cutting and turning collars of shirts.



### **SW-323AX**

**(B8014)**

Pneumatic shirts cutting, turning and creasing collars of shirts. Working of creasing of collars full automatic. Creasing collars in two times.



### **RM-SC-1007**

**(A7004A)**

Suprena type round knife cutting machine. Hexagonal knife with grinder and bed knife. Diameter of knife: 50mm.



### **RM-MB-50**

**(A7004)**

Round knife cutting machine. Hexagonal knife with grinder and bed knife. Diameter of knife: 50mm.



### **RM-MB-60**

**(A7002A)**

Round knife cutting machine. Hexagonal knife with grinder and bed knife. Diameter of knife: 60mm. Machine with battery without cable.



### **RM-MB-100**

**(A7002A)**

Octa type round knife cutting machine. Hexagonal knife with grinder and bed knife. Diameter of knife: 100mm.





### **DS-50**

**(B1004)**

Circular knife 50mm diameter cutting machine. 6 sides knives, maximum cutting height 8mm. Electric motor 55W. With shear.



### **D86**

**(B1002)**

Circular knife 86mm diameter cutting machine. Round knife, maximum cutting height 20mm. Electric motor 90W.



### **DS-86**

**(B1003)**

Circular knife 86mm diameter cutting machine. 6 sides knife, maximum cutting height 20mm. Electric motor 90W. With shear.

### **DS-100**

**(B1007)**

Circular knife 100mm diameter cutting machine. 6 sides knife, maximum cutting height 30mm. Electric motor 90W. With shear.

### **SW-12**

**(B1008)**

Circular knife 120mm diameter cutting machine. 8 sides knife, maximum cutting height 40mm-50mm. Electric motor 200W. With shear.



### **FP-86**

**(B1009)**

Circular knife 86mm diameter cutting machine. 6 sides knife, maximum cutting height 20mm. Pneumatic motor. With shear.



### **OPTIMA-70**

**(OB1012)**

Circular knife 70mm diameter cutting machine. 6 sides knife, maximum cutting height 12mm. High power electric motor. With shear.



### **FP-50**

**(B1005)**

Circular knife 50mm diameter cutting machine. 6 sides knife, maximum cutting height 8mm. Pneumatic motor. With shear.



### **KS-5"-EU-CE** **(A6400)**

Straight knife 5" cutting machine. Cutting height: 9cm. 220 volts and 1/3HP. CE mark (integrated plug, switch in handle: if operator leaves the handle the machine get stopped).

### **KS-6"-AU-CE** **(A6406)**

Straight knife 6" cutting machine. Cutting height: 11cm. 220 volts and 3/4HP. CE mark (integrated plug, switch in handle: if operator leaves the handle the machine get stopped).

### **KS-6"-AV** **(A6406A)**

Straight knife 6" cutting machine. Cutting height: 11cm. 380 volts and 3/4HP.

### **KS-8"-AU-CE** **(A6407)**

Straight knife 8" cutting machine. Cutting height: 16 cm. 220 volts and 3/4HP. CE mark (integrated plug, switch in handle: if operator leaves the handle the machine get stopped).

### **KS-8"-AV** **(A6402A)**

Straight knife 8" cutting machine. Cutting height: 16cm. 380 volts and 3/4HP.

### **KS-10"-AU-CE** **(A6408)**

Straight knife 10" cutting machine. Cutting height: 21 cm. 220 volts and 3/4HP. CE mark (integrated plug, switch in handle: if operator leaves the handle the machine get stopped).

### **KS-10"-IU-CE** **(A6408A)**

Straight knife 10" cutting machine. Cutting height: 21 cm. 220 volts and 1HP. CE mark (integrated plug, switch in handle: if operator leaves the handle the machine get stopped).

### **KS-IU-8"** **(A6407B)**

Straight knife 8" cutting machine. Cutting height: 16 cm. 220 volts and 1HP. CE mark (integrated plug, switch in handle: if operator leaves the handle the machine get stopped).



## Straight knife cutting machines



### **KS-10"-AV**



**(A6408B)**

Straight knife 10" cutting machine. Cutting height: 21cm. 380 volts and 3/4HP.

### **KS-IU-13"**



**(A6408B)**

Straight knife 13" cutting machine. Cutting height: 29cm. 380 volts and 3/4HP.

### **KS-13"-IU-CE**



**(A6408F)**

Straight knife 13" cutting machine. Cutting height: 29 cm. 220 volts and 1HP. CE mark (integrated plug, switch in handle: if operator leaves the handle the machine get stopped).

## Cloth drill



### **DZ-3-1D"**

**(A6405)**

Cold and heated cloth drill with thermostat.





### ST-360C

(A6202)

Manual cutting machine with 2 holders to keep the fabric stable. Roller holder.

(A6202) Length of guide holders 3.00m

(A6502B) Length of guide holders 3.60m



### FA-200C-3000/ER-209

(A6205)

Manual cutting machine with 2 holders to keep the fabric stable. The holders lift up and return down by pushing one button. Also the cutting machine starts working after pushing the button. Equipped with automatic fabric counter.

(A6205) Length of guide holders 3.00m

(A6505B) Length of guide holders 3.60m

### SW-911B

(B5100)

Knitting closed tape cutting machine. Width of cutted fabric: 15-99mm, Speed: 60-330RPM.

### SW-933

(B5102)

Same as SW-119B higher speed.

## Band knife sewing machine



### **SW-1900S**

**(B5300)**

Band knife cutting machine. Equipped with air blowing table (electric fan) Table size: 180x180cm. Cutting height: 18cm. Arm length: 90cm.

0B5300 220V

0B5300 380V




## Cutting machine

### **SW-200TC**

**(B5121)**

Continuous cutting machine for zippers, tape, etc. The cutting length can be programmed from 0 to 99cm. Maximum tape width: 11cm. Cutting in cold or heated knife (0° to 200°).





### **TP-600-ECO**

**(B6003B)**

Plastic bag closer machine, cutting let plastic straight in the lower part and inclined in the upper part. Cutting and welding by mechanical system. The plastic roller can be put in top or bottom part of the machine.



### **TP-600H-ECO**

**(B6004)**

Plastic bag closer machine, cutting let plastic straight in the lower part and inclined in the upper part. Cutting and welding by pneumatical system. The plastic roller can be put in top or bottom part of the machine.



### **TPL-600H-ECO**

**(B6004B)**

Lower plastic bag welding machine. To be installed only in TP-600H-ECO machines.